



EVE

旋轉研磨與
拋光工具
Rotary Grinding
and Polishing
Instruments


牙科用
Dental



德國製造 made in Germany

**EVE –
堅持優良傳統–
開創嶄新未來**

**EVE –
A tradition of quality –
Ahead through innovation**



EVE Ernst Vetter GmbH自1925年創立起，一路上不斷成長進步。我們成功的以我們傑出的技術為每位顧客提供最有效率的服務。

不僅如此，EVE在技術研發以及產品創新方面也做了許多貢獻。舉例來說，我們是一個開發含鑽研磨工具的廠商。

同時，我們的產品能符合各種不同的操作需求。近年來，許多新開發的材料開始被應用在牙體技術、牙科醫療、珠寶加工、整形美容、模型建構、精密機械、以及許多其他的領域。因此，對高品質研磨工具的需求也與日俱增。EVE針對您的操作需求，以眾所皆知的絕佳品質為您提供各式各樣的產品。

Since it was established in 1925, EVE Ernst Vetter GmbH has undergone continual improvements. We take great pride in our ability to meet technical and customer-specific challenges with new and highly efficient solutions. As such, EVE has contributed to technical progress with innovative products, e.g. the world's first diamond polisher.

Our products are suitable for a growing variety of applications. New materials have been introduced to dental laboratories, dental practices, as well as to jewelry production, cosmetics treatments, model construction, precision mechanics, and many other areas.

As a result, the demand for good polishing products has increased. EVE Ernst Vetter GmbH offers product solutions for all applications, providing well-known quality products under the renowned EVE brand.

EVE 的服務

客戶向我們下了訂單後，會收到一份訂單確認表，上面明列訂單明細以及預計送出時間。若需要更詳細的產品資訊或技術諮詢，請聯絡我們 鳴泰實業有限公司。

鳴泰實業有限公司

電話：(02) 2995 - 9866

傳真：(02) 8512 - 1118

辦公接待中心：

241 新北市三重區興德路123之1號10樓

數位教育訓練中心：

241 新北市三重區興德路123之1號3樓

EVE Service

After placing their purchase order with us, our customers will receive an order confirmation that includes the expected ship date. For more product information and technical questions, please contact our team of product specialists.

All products and catalogues can also be viewed online. We invite you to visit EVE on the Internet: www.eve-rotary.com

CHIN MIN TAI ENTERPRISE CO., LTD.

Phone (02) 2995 - 9866

Fax (02) 8512 - 1118

Office Reception Center

10F., No.123-1, Xingde Rd., Sanchong

District, New Taipei City 241, Taiwan

Digital Training Center

3F., No.123-1, Xingde Rd., Sanchong

District, New Taipei City 241, Taiwan



高品質的維護與安全測試

EVE通過DIN EN ISO 9001 及 13485驗證，在研發、製造、銷售以及管理層面都透過我們的品質管理系統秉持一貫的高水準。我們的醫療產品符合93/42/EEC指令，並擁有CE標章。

我們保證對任何原料的進貨實施嚴格的檢查。我們運用國內先進的製造方式，保障EVE產品長久以來的好品質。

本公司將持續為您把關，注重品質、精準、和革新，給您優質的產品及服務！

Quality Control and Safety Testing

EVE Ernst Vetter GmbH is DIN EN ISO 9001 and 13485 certified. The high quality standards in development, production and administration, as well as in distribution, are set by the Quality Management System.

The medical products meet the requirements of Directive 93/42/EEC as well as the regulations contained in the Medical Devices Act (MDA) and are CE-labeled. We ensure strict goods inspections for any incoming raw materials. State-of-the-art production methods guarantees the consistent high quality of all EVE products.

Quality, precision and innovation continues to be the focus of our products and our company.



EVE產品的品質與特性

General quality features and characteristics of EVE products



- 使用壽命長
- 精準的旋轉工具
- 不鏽鋼軸心
- 精準適用
- 研磨工具成分純粹
- 最佳硬度
- EVE含鑽研磨系列產品能達到極佳的成效
- 所有的EVE研磨產品都可直接使用
- 所有醫療設備皆可消毒
- 通過ISO 9001測試

- Long service life
- Precise rotation
- Stainless steel mandrels
- Accurate fit
- High concentration of the selected grit
- Optimal binding hardness
- EVE diamond polishers create results comparable to glazing
- All EVE polishers can be used
- All products in Medical Device can be sterilized
- Tested quality as per ISO 9001

包裝上的說明使用標準符號

Standardized symbols are used on our packaging for instructions on proper use.

The diagram shows a product label for DIAPOL W16DG. Annotations include:

- REF** 產品編號 / Order number
- 包裝單位 / Packaging unit** (indicated by a box icon)
- 產品分類 / Product group** (indicated by a box icon)
- 建議轉速 / Recommended RPM** (indicated by a circular arrow icon)
- 應用操作 / Applications** (indicated by a box icon)
- HIBC條碼 / HIBC Barcode** (indicated by a barcode icon)
- 呼吸保護裝置 / Respiratory protection** (indicated by a mask icon)
- 護目鏡 / Safety goggles** (indicated by a goggles icon)
- 操作說明請參照產品目錄/Katalog beachten** (indicated by an information icon)
- 其他符號: /Other symbols:**
 - 用於填補 / Working on fillings** (indicated by a tooth icon)
 - 拋棄式系統 / Disposable system** (indicated by a crossed-out recycling symbol)
 - 牙科洗牙工具 / Prophylaxis** (indicated by a toothbrush icon)

Label details: DIAPOL W16DG, REF 7086 - W16Dg, LOT 217199, ISO 803 204 243 534 040, MFG DATE 05/2011, CE 0483, 134°C, EVE Ernst Vetter GmbH, Rastatter Str. 30, D-75179 Pforzheim, www.eve-rotary.com, info@eve-rotary.com.

其他符號: /Other symbols:



用於填補 / Working on fillings



拋棄式系統 / Disposable system



牙科洗牙工具 / Prophylaxis

砂輪研磨 / Abrasive Grinders

EVE DIASYNTH PLUS	氧化鋁、陶瓷、金屬 / Zirconia, Porcelain, Metal	6
EVE DIADUR	陶瓷、金屬 / Porcelain, Metal	7
EVE UNITRIM	熱塑性塑料、矽膠 / Thermoplastics, Silicone	8

牙科研磨工具 / Polishers Dentistry

EVE UNIVERSAL	萬用 / Universal	9
EVE UNIVERSAL PLUS	萬用 / Universal	10
EVE DIAPOL	陶瓷 / Porcelain	11
EVE ECOCERAM	陶瓷 / Porcelain	12
EVE DIACERA	氧化鋁 / Zirconia	13
EVE DIACOMP ULTRA	樹脂聚合物 / Composite	14
EVE DIACOMP PLUS	樹脂聚合物 / Composite	15
EVE ECOCOMP	樹脂聚合物 / Composite	16
EVE COMPOSOFIT	樹脂聚合物 / Composite	17
EVEFLEX	貴金屬、汞合金、金屬 / Precious Metal, Amalgam, Metal	18
EVE BRACKET	牙套卸除 / Remover for adhesive remnants	19

牙科洗牙工具 / Prophylaxis

EVE UNIBRUSH		20
EVE PROPHYCLEAN		22
EVE DIASTRIPES		23
EVE PROPHYSTRIPES		23

技師用研磨工具 / Polishers Laboratory

EVE UNIVERSAL	萬用 / Universal	24-29
EVE DIAPOL	陶瓷 / Porcelain	30-31
EVE DIAPOL LONGPINS	陶瓷 / Porcelain	32
EVE ECOCERAM	陶瓷 / Porcelain	33
EVE DIAPRO	矽膠陶瓷 / Silicate Ceramic	34
EVE DIACERA	氧化鋁 / Zirconia	35
EVE ECOCERAM WG	燒結前氧化鋁 / Pre-sintered Zirconia	36
EVE DIACOMP ULTRA	貼片樹脂 / Veneer resin	37
EVE TECHNIK	活動樹脂專用 / Denture Acrylic	38
EVE ACRYL	活動樹脂專用 / Denture Acrylic	39
EVE SOFT WHEELS	活動樹脂專用 / Denture Acrylic	39
EVE CHROM PLUS	金屬 / Metal	40
EVE ECOCHROM	金屬 / Metal	41
EVEFLEX PINS	金屬 / Metal	42
EVEFLEX TECHNIK 400 - 800	金屬 / Metal	43-47

拋光盤、刷具及拋光膏 / Polishing Discs, Brushes & Paste

EVE FLEXI-D	陶瓷、樹脂聚合物 / Porcelain, Composite	48
EVE DIABRUSH	陶瓷、樹脂聚合物、金屬 / Porcelain, Composite, Metal	49
EVE BRUSH	陶瓷、樹脂聚合物、金屬 / Porcelain, Composite, Metal	49
EVE DIAMANT (拋光膏 / Polishing paste)	陶瓷、樹脂聚合物、金屬 / Porcelain, Composite, Metal	49

套組與配件 / Kits & Accessories

EVE 套組		50-53
EVE Discovery組、壓克力玻璃底座、磁盤		54
EVE 樣本組、修整工具		55
EVE 攪拌碗、攪拌板		56

軸心 / Mandrels

EVE 軸心 / Mandrels		57
-------------------	--	----

操作說明 / Instructions

消毒操作說明 / Sterilization Instructions		58-59
操作與安全規則 / Directions & safety rules		60-61
ISO-醫療用具分類 / ISO-Medical Device Classification		62-66

氧化鋯、陶瓷、金屬 / Zirconia, Porcelain, Metal

EVE DIASYN[®] PLUS

適用 / Applications

EVE DIASYN[®] PLUS

含鑽研磨裝置，適用陶瓷與金屬等復形材料。

- 可用於氧化鋯與矽酸鹽陶瓷等復形材料，亦適用於金屬材料。
- 切削牙冠邊緣。
- 平滑全冠
- 去除黏著劑

特性/ Characteristics

- 大幅降低熱能的產生
- 可用乾式加工
- 順暢舒適的研磨
- 極高的研磨效率
- 邊緣穩定性高
- 研磨材料不易過熱
- 合成黏結
- 低轉速有效防止過熱

EVE DIASYN[®] PLUS

Synthetically bonded diamond grinder for processing porcelain and metals.

- Zirconium oxide and silicate ceramics; also suitable for metals
- Reducing crown margins
- Smoothing contours
- Sprue removal
- Porous structure minimizes heat generation
- Suitable for dry processing
- Smooth, comfortable grinding
- Extremely high abrasion rate
- High edge stability
- Does not overheat restorations
- Synthetic bonding
- Low speed RPM minimizes heat development

EVE DIASYN[®] PLUS 粗 / coarse

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 8.000-12.000 min⁻¹
最高轉速/max.: 25.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

							
DYP-22/4g	DYP-22/2g	DYP-8g	DYP-9g	DYP-13g	DYP-14g	DYP-14Bg	DYP-15g
8000	8002	8048	8049	8053	8054	8064	8055
22 x 4	22 x 2	12 x 2	11,5 x 3	4 x 10	5 x 13	6,5 x 13	15 x 3
\$1,800	\$1,000	\$600	\$600	\$450	\$600	\$700	\$1,000
\$16,800	\$9,350	\$5,400	\$5,400	\$4,100	\$5,400	\$6,500	\$9,350

EVE DIASYN[®] PLUS 中 / medium

顆粒 / Grit: 中/medium
包裝 / Pack: 1, 10個/piece
轉速 / rec.: 8.000-12.000 min⁻¹
最高轉速/max.: 25.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸(mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

							
DYP-22/4m	DYP-22/2m	DYP-8m	DYP-9m	DYP-13m	DYP-14m	DYP-14Bm	DYP-15m
8100	8102	8148	8149	8153	8154	8164	8155
22 x 4	22 x 2	12 x 2	11,5 x 3	4 x 10	5 x 13	6,5 x 13	15 x 3
\$1,800	\$1,000	\$600	\$600	\$450	\$600	\$700	\$1,000
\$16,800	\$9,350	\$5,400	\$5,400	\$4,100	\$5,400	\$6,500	\$9,350

EVE DIASYN[®] PLUS 粗, 中 / coarse, medium

包裝 / Pack: 1, 10個/piece
轉速 / rec.: 8.000-12.000 min⁻¹
最高轉速/max.: 25.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

顆粒 / Grit:
粗/coarse

	
DYP-W9g	DYP-W13g
8079	8083
11,5 x 3	4 x 10
\$650	\$500
\$6,150	\$4,650

顆粒/Grit:
中/medium

	
DYP-W9m	DYP-W13m
8179	8183
11,5 x 3	4 x 10
\$650	\$500
\$6,150	\$4,650

EVE DIADUR®

EVE DIADUR®

陶瓷含鑽研磨工具，適用陶瓷與金屬等復形材料。

適用 / Applications

- 陶瓷與金屬等復形材料
- 切削牙冠邊緣
- 平滑牙冠
- 去除黏著劑

特性 / Characteristics

- 邊緣穩定性高
- 高研磨效率
- 高耐熱度
- 親陶瓷性

EVE DIADUR®

Ceramically bonded diamond grinder for porcelain and metal.

- Porcelain and metals
- Reducing crown margins
- Smoothing contours
- Sprue removal
- Extremely high edge stability
- Very high abrasion rate
- High heat tolerance
- Ceramic binder

EVE DIADUR® 中 / medium

顆粒 / Grit: 中/medium
包裝 / Pack: 1,10個/piece
轉速 / rec.: 10,000 - 15,000 min⁻¹
最高轉速/max.: 35,000min⁻¹

產品名稱: / Item:

產品編號: / Item No.:

尺寸 (mm): / Sizes (mm):

價格: / Price (NT\$):

						
DD-22/4	DD-22/2	DD-8	DD-9	DD-13	DD-14	DD-14B
8300	8302	8348	8349	8353	8354	8364
22 x 4	22 x 2	12 x 2,5	12 x 4	4 x 11	5 x 13	6,5 x 13
\$2,100	\$1,400	\$1,250	\$1,250	\$900	\$900	\$1,050
\$19,850	\$13,200	\$11,700	\$11,700	\$8,350	\$8,350	\$9,950



EVE UNITRIM



SET HP 125
頁數 / Page: 53

EVE UNITRIM

化合物製研磨工具，適用尼龍、矽膠、以及其他熱塑性等復形材料。

由於能降低熱能的產生、不易導致材料融化，所以特別適用於耐熱性低的復形材料。

EVE UNITRIM

Synthetically bonded trimmer for nylon, other thermoplastic materials and silicone.

Specifically suited for materials with low heat tolerance in order to prevent melting.

適用 / Applications

- 復形材料包括熱塑性材料 (Nylon, PE, PP...)
- 矽膠
- 軟質reline材料/矽
- 塑型研磨材料不易導致復形材料融化

- Thermoplastics (Nylon, PE, PP...)
- Silicones
- Soft relined materials / silicones
- Shape material without melting

特性 / Characteristics

- 多孔材質及低轉速，有效降低熱能的產生。
- 不易導致材料融化
- 順暢而舒適的研磨
- 合成樹脂黏合

- Porous structure and low speed range minimizes heat generation
- No melting
- Smooth, comfortable grinding
- Synthetic resin binder

EVE UNITRIM 粗 / coarse

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 1,10個/piece
轉速 / rec.: 3.000 - 5.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:
產品編號: / Item No.:
尺寸 (mm): / Sizes (mm):
價格: / Price (NT\$):

1入
10入



UT-H334K

8534

10 x 24

\$600

\$4,800

EVE UNIVERSAL



SET RA 101
頁數 / Page: 50

適用 / Applications

特性 / Characteristics

EVE UNIVERSAL
矽膠研磨工具, 粗 / 中
萬用型矽膠研磨工具, 適用各種修補材料。

- 復形材料包括: 陶瓷, 貴金屬, 熱塑性材料, 黏著劑及汞合金等。
- 切削與成型

- 矽膠材質中硬度
- 操作簡單
- 易於操作

EVE UNIVERSAL
Silicone polisher, coarse / medium
Universal silicone polishers for restoration materials.

- Porcelain, precious metals, synthetic materials, cement and amalgam
- Material removal and shaping

- Medium-hard silicone bonding
- Easy handling
- Controllable handling

EVE UNIVERSAL 粗 / coarse

螺絲頭-Ø: / Screw head-Ø: 5 mm
包裝: / Pack: 3, 10, 100

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10,100個/piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	3入
	10入
	100入

					
R12	L13	K11	K12	K15	76RA
1006	1009	1011	1012	1015	9576
12 x 2	13 x 2,5	11 x 6	12 x 7	15 x 9	
—	—	—	—	—	\$200
\$250	\$250	\$250	\$250	\$250	\$550
\$1,850	\$1,850	\$1,850	\$1,850	\$1,850	\$4,550

EVE UNIVERSAL 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10,100個/piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入
	100入

				
W11	W1	W2	W2B	W4
1081	1071	1072	1092	1074
3 x 7,5	5,5 x 15	4,5 x 12	5 x 10	5 x 16
\$600	\$600	\$600	\$600	\$600
\$4,500	\$4,500	\$4,500	\$4,500	\$4,500

EVE UNIVERSAL 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10,100個/piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入
	100入

				
W5	W6	W7	W8	W9
1075	1076	1077	1078	1079
9 x 8,5	8 x 7	7 x 10	11 x 2	11 x 2,5
\$600	\$600	\$600	\$600	\$600
\$4,500	\$4,500	\$4,500	\$4,500	\$4,500

EVE UNIVERSAL PLUS

EVE UNIVERSAL PLUS

矽膠研磨工具
萬用矽膠研磨工具，適用義齒材料。

EVE Universal Plus特別適用於樹脂聚合物復形材料。

EVE UNIVERSAL PLUS Silicone polishers

Universal silicone polishers for restoration materials.

EVE Universal Plus is especially effective for use on composites.

適用 / Applications

- 復形材料包括：陶瓷、貴金屬、樹脂聚合物、黏著劑及汞合金等
- 切削與成型

- Porcelain, precious metals, synthetic materials, cement and amalgam
- Material removal and shaping

特性 / Characteristics

- 矽膠材質中等硬度
- 操作輕鬆
- 易於操作

- Medium-hard silicone binder
- Easy handling
- Controllable handling

EVE UNIVERSAL PLUS 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10,100個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品: / Item No.:	
尺寸(mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

				
WP11	WP1	WP2	WP2B	WP4
5081	5071	5072	5092	5074
3 x 7,5	5,5 x 15	4,5 x 12	5 x 10	5 x 16
\$750	\$750	\$750	\$750	\$750
\$5,400	\$5,400	\$5,400	\$5,400	\$5,400

EVE UNIVERSAL PLUS 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10,100個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

				
WP5	WP6	WP7	WP8	WP9
5075	5076	5077	5078	5079
9 x 8,5	8 x 7	7 x 10	11 x 2	11 x 2,5
\$750	\$750	\$750	\$750	\$750
\$5,400	\$5,400	\$5,400	\$5,400	\$5,400

EVE DIAPOL®



SET RA 305

適用 / Applications

特性 / Characteristics

EVE DIAPOL®

萬用型含鑽研磨工具，適用陶瓷及金屬等復形材料。

EVE Diapol適用所有陶瓷材質復形材料(萬用)

藍 = 第一步驟：切削與成型
粉紅 = 第二步驟：平滑
灰 = 第三步驟：高光澤磨光

- 復形材料包括陶瓷，金屬等
- 切削，平滑與高光澤磨光
- 研磨後的磨光
- 修整燒結瑕疵
- 優質的含鑽顆粒，給您卓越的研磨成效
- 操作需時短
- 媲美上釉的效果
- 使材料表面達到究極細緻，光澤度高

EVE DIAPOL®

Universal diamond polishers for porcelain and metal.

EVE Diapol can be used for all available ceramics (universal).

Blue = 1st step: Removing and shaping
Pink = 2nd step: Smoothing
Grey = 3rd step: High gloss polishing

- Porcelain, metals
- Material removal, smoothing and high gloss polish
- For polishing after grinding
- Correcting firing defects
- Outstanding polishing results due to optimized diamond grit
- Minimal processing time
- Results comparable to glazing
- Minimizes surface roughness and produces high gloss

EVE DIAPOL® 粗 / coarse

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 1, 10個 / piece
轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

							
W11Dg	W21Dg	W16Dg	W17Dg	W18Dg	W2Dg	W8Dg	FG1Dg
7081	7092	7086	7087	7088	7072	7078	7091
3 x 7,5	3 x 7	4 x 10	6 x 7,5	10 x 2,5	4 x 13	11 x 2	3 x 6,5
\$200	\$200	\$300	\$300	\$300	\$450	\$450	\$200
\$1,750	\$1,750	\$2,650	\$2,650	\$2,650	\$3,850	\$3,850	\$1,750

EVE DIAPOL® 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 1, 10個 / piece
轉速 / rec.: 7.000- 12.000min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

							
W11Dmf	W21Dmf	W16Dmf	W17Dmf	W18Dmf	W2Dmf	W8Dmf	FG1Dmf
7181	7192	7186	7187	7188	7172	7178	7191
3 x 7,5	3 x 7	4 x 10	6 x 7,5	10 x 2,5	4 x 13	11 x 2	3 x 6,5
\$200	\$200	\$300	\$300	\$300	\$450	\$450	\$200
\$1,750	\$1,750	\$2,650	\$2,650	\$2,650	\$3,850	\$3,850	\$1,750

EVE DIAPOL® 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 1, 10個 / piece
轉速 / rec.: 7.000- 12.000min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

							
W11D	W21D	W16D	W17D	W18D	W2D	W8D	FG1D
7281	7292	7286	7287	7288	7272	7278	7291
3 x 7,5	3 x 7	4 x 10	6 x 7,5	10 x 2,5	4 x 13	11 x 2	3 x 6,5
\$200	\$200	\$300	\$300	\$300	\$450	\$450	\$200
\$1,750	\$1,750	\$2,650	\$2,650	\$2,650	\$3,850	\$3,850	\$1,750

EVE ECOCERAM



SET RA 160
頁數 / Page: 50

EVE ECOCERAM

矽膠研磨工具，適用於陶瓷
復形材料。

淺灰 = 第一步驟：切削與成型
粉紅 = 第二步驟：平滑
灰 = 第三步驟：磨光

EVE ECOCERAM

Silicone polishers for porcelain.

Light grey = 1st step: Removing and contouring
Pink = 2nd step: Smoothing
Grey = 3rd step: Polishing

適用 / Applications

- 陶瓷復形材料
- 切削，平滑與磨光

- Porcelain
- Material removal, smoothing and polishing

特性 Characteristics

- 硬度高，富彈性的矽膠組成
- 操作輕鬆
- 易於操作

- Hard-flexible silicone binder
- Easy handling
- Controllable handling

EVE ECOCERAM VK 粗 / coarse

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000- 15.000min⁻¹
最高轉速/max.: 25.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10 入 100 入



W2BVK	W7VK	W9VK
1592	1577	1579
5 x 10	7 x 10	11 x 2,5
\$650 \$4,800	\$650 \$4,800	\$650 \$4,800

EVE ECOCERAM NK 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 15.000 min⁻¹
最高轉速/max.: 25.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10 入 100 入



W2BNK	W7NK	W9NK
1692	1677	1679
5 x 10	7 x 10	11 x 2,5
\$650 \$4,800	\$650 \$4,800	\$650 \$4,800

EVE ECOCERAM SK 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 15.000 min⁻¹
最高轉速/max.: 25.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10 入 100 入



W2BSK	W7SK	W9SK
1792	1777	1779
5 x 10	7 x 10	11 x 2,5
\$650 \$4,800	\$650 \$4,800	\$650 \$4,800

EVE DIACERA



Set RA 322
頁數 / Page: 50

EVE DIACERA

含鑽研磨工具，適用氧化鋯復形材料。

綠 = 第一步驟：平滑與預磨光
橘 = 第二步驟：高光澤磨光

EVE DIACERA

Diamond polishers for zirconia.

Green = 1st step: Smoothing and pre-polishing
Orange = 2nd step: High gloss polishing

適用 / Applications

- EVE Duasynt Plus粗顆粒研磨工具，適用氧化鋯復形材料切削。

- Recommended for material removal: EVE Diasynt Plus, coarse grinder

特性 / Characteristics

- 平滑與高光澤磨光
- 優質的含鑽顆粒，給您卓越的研磨成效
- 使材料表面達到究極細緻，光澤度高
- 低轉速，不易生熱

- Smoothing and high gloss polishing
- Outstanding polishing results due to optimized diamond grit
- Minimizes surface roughness, produces high gloss
- Low speed, low heat generation

EVE DIACERA 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

W11DCmf	W16DCmf	W17DCmf	W18DCmf	FG1DCmf
7681	7686	7687	7688	7691
3 x 7,5	4 x 10	6 x 7,5	10 x 2,5	3 x 6,5
\$200	\$300	\$300	\$300	\$200
\$1,850	\$2,800	\$2,800	\$2,800	\$1,850

EVE DIACERA 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 7.000- 10.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

W11DC	W16DC	W17DC	W18DC	FG1DC
7781	7786	7787	7788	7791
3 x 7,5	4 x 10	6 x 7,5	10 x 2,5	3 x 6,5
\$200	\$300	\$300	\$300	\$200
\$1,850	\$2,800	\$2,800	\$2,800	\$1,850



EVE DIACOMP® ULTRA



Set RA 350
頁數 / Page: 50

適用 / Applications

特性 / Characteristics

EVE DIACOMP® ULTRA

只需一支EVE DIACOMP® ULTRA含鑽研磨工具。適用所有聚合復形材料。

您能透過調整力道來控制磨除量以及高光澤磨光。

僅需單一步驟：平滑 / 高光澤磨光

- 適用復形材料包括各種樹脂聚合物：(混合聚合物，微量聚合物，離聚體聚合物)
- 修整及高光澤磨光
- 可透過調節施加的壓力以及運轉速度來控制磨光程度

- 優質的鑽石顆粒，輕鬆達到卓越成效
- 操作需時短，工具耗損量低

EVE DIACOMP® ULTRA


One-step diamond polishers for all composite materials.

Users can control abrasion and high gloss polishing by adjusting pressure.

One step: Smoothing / high gloss polishing

- For all available composites (nanocomposites, microcomposites, hybrid composites, compomers and ionomers)
- Preparation and high gloss polishing
- Polishing process is controlled by the speed and pressure applied with the instrument

- Outstanding polishing results due to optimized diamond grit
- Short processing time; minimal instrument wear



EVE DIACOMP® ULTRA 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 3.000- 10.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

				
DCU-W11	DCU1	DCU2	DCU3	DCU-FG1
6081	6071	6072	6073	6091
3 x 7,5	4 x 10	10 x 2,5	6 x 7,5	3 x 6,5
\$250 \$2,050	\$350 \$3,150	\$350 \$3,150	\$350 \$3,150	\$250 \$2,050

EVE DIACOMP® PLUS



Set RA 341
頁數 / Page: 51

EVE DIACOMP® PLUS

全鑽研磨工具。適用各種聚合復形材料。

粉紅 = 第一步驟：平滑及預先磨光
灰 = 第二步驟：高光澤磨光

EVE DIACOMP® PLUS

Diamond polishers for all composite materials.

Pink = 1st step: Smoothing and pre-polishing
Grey = 2nd step: High gloss polishing

適用 / Applications

- 適用復形材料包括各種聚合物:
(混合聚合物, 微量聚合物, 離聚體聚合物)
- 預備程序及高光澤磨光
- 兩步驟操作系統

- For all available composites
(nanocomposites, microcomposites, hybrid composites, compomers and ionomers)
- Preparation and high gloss polishing
- Two-step system

特性 / Characteristics

- 優質的鑽石顆粒, 輕鬆達到卓越成效
- 操作需時短

- Outstanding polishing results due to optimized diamond grit
- Short processing times

EVE DIACOMP® PLUS 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 3.000- 8.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

					
DCP-W11m	DCP1m	DCP2m	DCP3m	DCP-W2Bm	DCP-FG1m
6181	6171	6172	6173	6192	6191
3 x 7,5	4 x 10	10 x 2,5	6 x 7,5	5 x 10	3 x 6,5
\$200 \$1,850	\$300 \$2,800	\$300 \$2,800	\$300 \$2,800	\$300 \$2,800	\$200 \$1,850

EVE DIACOMP® PLUS 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 3.000- 8.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

					
DCP-W11f	DCP1f	DCP2f	DCP3f	DCP-W2Bf	DCP-FG1f
6281	6271	6272	6273	6292	6291
3 x 7,5	4 x 10	10 x 2,5	6 x 7,5	5 x 10	3 x 6,5
\$200 \$1,850	\$300 \$2,800	\$300 \$2,800	\$300 \$2,800	\$300 \$2,800	\$200 \$1,850



EVE ECOCOMP



Set RA 210
頁數 / Page: 51

EVE ECOCOMP 合成材料用研磨工具

淺黃 = 第一步驟：平滑及預先磨光
綠 = 第二步驟：磨光

適用 / Applications

特性 Characteristics

- 樹脂聚合物復形材料
- 預先磨光
- 硬質彈性接合
- 碳化矽磨粒

EVE ECOCOMP

Polishers for composite.

Light yellow = 1st step: Smoothing and pre-polishing
Green = 2nd step: Polishing

- Composites
- Pre-polishing and polishing
- Hard elastic flex-binder
- Abrasive: Silicon carbide

EVE ECOCOMP 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000- 10.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

EC11m	EC2Km	EC3Km	EC5Wm	EC6m	EC7m	EC18m
5181	5172	5173	5175	5176	5177	5188
3 x 7,5	3 x 6	6,5 x 9,5	9,5 x 8	10 x 0,7	5 x 10	10 x 2,5
\$550 \$3,850	\$550 \$3,850	\$800 \$5,950	\$800 \$5,950	\$800 \$5,950	\$800 \$5,950	\$800 \$5,950

EVE ECOCOMP 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000- 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

EC11f	EC2Kf	EC3Kf	EC5Wf	EC6f	EC7f	EC18f
5281	5272	5273	5275	5276	5277	5288
3 x 7,5	3 x 6	6,5 x 9,5	9,5 x 8	10 x 0,7	5 x 10	10 x 2,5
\$550 \$3,850	\$550 \$3,850	\$800 \$5,950	\$800 \$5,950	\$800 \$5,950	\$800 \$5,950	\$800 \$5,950

EVE COMPOSOF



Set RA 128
頁數 / Page: 51

適用 / Applications

特性 / Characteristics

EVE COMPOSOF

適用於復形材料為樹脂聚合物的軟質矽膠研磨工具

白 = 第一步驟：車削與成型
藍 = 第二步驟：平滑與塑型
粉紅 = 第三步驟：磨光

- 樹脂聚合物復形材料
- 磨光

- 軟質矽膠黏合
- 氧化鋁塗層

EVE COMPOSOF

Soft silicone polishers for composite.

White = 1st step: Removing and contouring
Blue = 2nd step: Shaping and smoothing
Pink = 3rd step: Polishing

- Composites
- Preparation and polishing

- Soft silicone binder
- Abrasive: Aluminium oxide

EVE COMPOSOF 粗 / coarse

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 5.000- 8.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入
	100入

			
CS11g	CS2Bg	CS7g	CS9g
2581	2592	2577	2579
3 x 7,5	5 x 10	7 x 10	11 x 2,5
\$600	\$600	\$600	\$600
\$4,500	\$4,500	\$4,500	\$4,500

EVE COMPOSOF 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 5.000- 8.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入
	100入

			
CS11m	CS2Bm	CS7m	CS9m
2681	2692	2677	2679
3 x 7,5	5 x 10	7 x 10	11 x 2,5
\$600	\$600	\$600	\$600
\$4,500	\$4,500	\$4,500	\$4,500

EVE COMPOSOF 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 5.000- 8.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入
	100入

			
CS11f	CS2Bf	CS7f	CS9f
2781	2792	2777	2779
3 x 7,5	5 x 10	7 x 10	11 x 2,5
\$600	\$600	\$600	\$600
\$4,500	\$4,500	\$4,500	\$4,500

貴金屬, 汞合金, 金屬 / Precious Metal, Amalgam, Metal

鳴泰實業
CHINMINTAI
We create smiles
(02) 2995 - 9866



EVEFLEX



Set RA 209
頁數 / Page: 51

適用 / Applications

特性/ Characteristics

EVEFLEX

研磨工具，適用復形材料包括貴金屬、汞合金、及樹脂聚合物等。

灰 = 第一步驟：切削與成型
棕 = 第二步驟：平滑
綠 = 第三步驟：高光澤磨光

- 特別適用於復形材料為貴金屬合金的操作。
- 汞合金與樹脂聚合物
- 預備程序及高光澤磨光
- 工具損耗量低
- 合成橡膠接合

EVEFLEX

Polishers for precious alloys, amalgam and composite.

Grey = 1st step: Removing and contouring
Brown = 2nd step: Smoothing
Green = 3rd step: High gloss polishing

- Specially adapted for the processing of precious metal alloys
- Amalgam and composites
- Preparation and high gloss polishing
- Wear resistant polisher
- Synthetic rubber binder

EVEFLEX 粗 / coarse

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

							FG Schaft / FG Shank	
AF11	AF2K	AF1	AF3K	AF5W	AF6	AF7	A2	A3
4681	4672	4671	4673	4675	4676	4677	4692	4693
3 x 7,5	3 x 6	4 x 12	6,5 x 9,5	9 x 8	10 x 0,7	5 x 10	3 x 6,5	6 x 8
\$450	\$450	\$700	\$700	\$700	\$700	\$700	\$450	\$450
\$3,300	\$3,300	\$5,050	\$5,050	\$5,050	\$5,050	\$5,050	\$3,300	\$3,300

EVEFLEX 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000- 12.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

									FG Schaft / FG Shank	
BV11	BV2K	BV1	BV3K	BV4	BV5W	BV6	BV7	BV13	B2	B3
4781	4772	4771	4773	4774	4775	4776	4777	4783	4792	4793
3 x 7,5	3 x 6	4 x 12	6,5 x 9,5	5 x 16	9 x 8	10 x 0,7	5 x 10	5,5 x 16	3 x 6,5	6 x 8
\$450	\$450	\$700	\$700	\$700	\$700	\$700	\$700	\$700	\$450	\$450
\$3,300	\$3,300	\$5,050	\$5,050	\$5,050	\$5,050	\$5,050	\$5,050	\$5,050	\$3,300	\$3,300

EVEFLEX 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000- 12.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

									FG Schaft / FG Shank	
GH11	GH2K	GH1	GH3K	GH4	GH5W	GH6	GH7	GH13	G2	G3
4881	4872	4871	4873	4874	4875	4876	4877	4883	4892	4893
3 x 7,5	3 x 6	4 x 12	6,5 x 9,5	5 x 16	9 x 8	10 x 0,7	5 x 10	5,5 x 16	3 x 6,5	6 x 8
\$450	\$450	\$700	\$700	\$700	\$700	\$700	\$700	\$700	\$450	\$450
\$3,300	\$3,300	\$5,050	\$5,050	\$5,050	\$5,050	\$5,050	\$5,050	\$5,050	\$3,300	\$3,300

牙套卸除 / Bracket Remover

EVE BRACKET



Set RA 430
頁數 / Page: 52

EVE BRACKET

牙套卸除

輕柔的去除牙套殘餘黏著劑，不傷害琺瑯質。

EVE BRACKET

Bracket remover

Gentle removal of adhesive remnants from brackets without damaging the enamel.

適用 / Applications

特性 / Characteristics

- 去除殘餘黏著劑。

- 不傷害天然硬齒結構。
- 材質柔軟不傷牙齒。
- 可用於金屬器材
- 硬質橡膠合成

- Removing traces of adhesive and cement


- No risk of damaging the natural hard tooth structure
- Protective, soft abrasive grit
- Alternative to removal with metal instruments
- Hard synthetic rubber binder

EVE BRACKET

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 5,000- 7,000 min⁻¹
最高轉速/max.: 20,000 min⁻¹


產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

			
BR11	BR3	BR6	BR7
5381	5373	5376	5377
3 x 7,5	6 x 7,5	10 x 0,7	5 x 10
\$550	\$800	\$800	\$800
\$3,850	\$5,950	\$5,950	\$5,950



EVE UNIBRUSH

硬度 / Hardness:



適用 / Applications

特性 / Characteristics

EVE UNIBRUSH

用於磨除多餘的復形材料如陶瓷、樹脂聚合物、金屬等的尼龍刷具。

- 用於所有陶瓷、樹脂聚合物與金屬等復形材料
- 可使用於任何材質
- 與EVE含鑽一起使用的高階磨光系統
- 牙齒表面的形態幾乎不變形
- 不易生熱，不使復形材料融化
- 形狀尺寸選擇多
- 適用於任何材質硬度

EVE UNIBRUSH

Nylon brushes for polishing porcelain, composite, metals and prophylactic treatment with polishing paste.

- Prophylactic treatments
- For all available ceramics, composites and metals
- Can be used universally
- High-end polishing system in combination with EVE Diamond (DP1 polishing paste, p. 49)
- Initial topography of the surface remains almost unchanged
- Low heat generation, no melting
- Large selection of shapes
- Available in various degrees of hardness

包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 5.000- 7.000 min⁻¹
最高轉速/max.: 10.000 min⁻¹

產品名稱: / Item:
產品編號: / Item No.:
尺寸(mm): / Sizes (mm):

產品名稱: / Item:
產品編號: / Item No.:

產品名稱: / Item:
產品編號: / Item No.:

	價格: / Price (NT\$):		價格: / Price (NT\$):		價格: / Price (NT\$):		價格: / Price (NT\$):
WTH		WZH		WSH		WPH	
9451	10入 \$500	9452	10入 \$500	9453	10入 \$500	9454	10入 \$500
6 x 5,5	100入 \$4,300	4 x 6,5	100入 \$4,300	4 x 6,5	100入 \$4,300	2,5 x 3	100入 \$4,300
							
WTM	10入 \$400	WZM	10入 \$400	WSM	10入 \$400	WPM	10入 \$400
9461	100入 \$3,450	9462	100入 \$3,450	9463	100入 \$3,450	9464	100入 \$3,450
							
WTS	10入 \$500	WZS	10入 \$500	WSS	10入 \$500	WPS	10入 \$500
9471	100入 \$4,300	9472	100入 \$4,300	9473	100入 \$4,300	9474	100入 \$4,300



EVE PROPHYCLEAN®



EVE PROPHYCLEAN® - SET

頁數 / Page: 52

適用 / Applications

EVE PROPHYCLEAN®

牙齒研磨工具
可廣泛應用於牙科用來磨除多餘復形材料的工具。

- 拆除牙套或支架後，清除殘餘的黏著劑。
- 清除多餘的黏著劑。
- 平滑牙齦下根。
- 磨光較不易接觸的區域；即使在使用超音波後仍可操作。
- 提供對超音波較敏感的患者另一個選擇。

EVE PROPHYCLEAN®

Tooth cleaning instrument

Instrument for a wide range of applications during prophylactic treatment.

- Removing plaque, tartar, stains and initial caries
- Removing adhesive remnants after bracket debonding
- Removing excess cement
- Subgingival root smoothing
- Polishing hard-to-reach areas; recommended even after ultrasonic application
- Mechanical prophylactic option for patients sensitive to ultrasonic

特性 / Characteristics

- 優質的防護性顆粒材質，不傷害琺瑯質與陶瓷。
- 無纖維。
- 顆粒均勻分布。
- 不含乳膠。

- Optimized protective grit does not damage enamel and porcelain
- Fibre free
- Entirely interspersed with abrasive
- Latex free

EVE PROPHYCLEAN® 粗 / coarse

硬度 / Hardness: 硬 / hard
顆粒 / Grit: 粗 / coarse
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 5.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

				
PC-100g	PC-101g	PC-102g	PC-103g	PC-111g
8700	8701	8702	8703	8711
2,35 x 9	3 x 5	2,35 x 7	2,35 x 7,5	3 x 6,5
\$350 \$2,750	\$350 \$2,750	\$350 \$2,750	\$350 \$2,750	\$350 \$2,750

EVE PROPHYCLEAN® 中 / medium

硬度 / Hardness: 硬 / hard
顆粒 / Grit: 中 / medium
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 5.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

				
PC-100	PC-101	PC-102	PC-103	PC-111
8800	8801	8802	8803	8811
2,35 x 9	3 x 5	2,35 x 7,5	2,35 x 7,5	3 x 6,5
\$350 \$2,750	\$350 \$2,750	\$350 \$2,750	\$350 \$2,750	\$350 \$2,750

EVE DIASTRIPES

適用 / Applications

特性 / Characteristics

SET PDL4 - 3 / 3 / 3 個 / piece

產品編號: / Item No.: 9014

包裝 / Pack: 3 / 9 個 / piece

產品名稱: / Item:

產品編號: / Item No.:

尺寸 (mm): / Sizes (mm):

厚度 (mm): / Thickness (mm):

顆粒: / Grit:

價格: / Price (NT\$): 3入
9入

SET PDL2,5 - 3 / 3 / 3 個 / piece

產品編號: / Item No.: 9012

包裝 / Pack: 3 / 9 個 / piece

產品名稱: / Item:

產品編號: / Item No.:

尺寸 (mm): / Sizes (mm):

厚度 (mm): / Thickness (mm):

顆粒: / Grit:

價格: / Price (NT\$): 3入
9入

EVE DIASTRIPES, 含鑽研磨裝置。含鑽塗層工具-用於分隔與修整

- 手工修整復形物。
- 單面含鑽塗層。
- 優質顆粒材質。
- 較雙面塗層之工具易於散熱。
- 可高溫高壓殺菌及消毒。

EVE DIASTRIPES, Diamond Diamond coated separating and finishing strips.

- For manual shaping of fillings and enamel in proximal spaces
- Coated on one side with diamond grit
- Optimized grit levels
- Better cooling in comparison to fully coated strips
- Autoclavable and sterilizable

		
PDL-45/4	PDL-35/4	PDL-10/4
9101	9102	9103
4 x 150	4 x 150	4 x 150
0,11	0,10	0,07
細 / fine (45μ)	極細 / extra fine (35μ)	超級細 / super fine (5-15μ)
\$650	\$650	\$650
\$1,850	\$1,850	\$1,850

		
PDL-45/2,5	PDL-35/2,5	PDL-10/2,5
9106	9107	9108
2,5 x 150	2,5 x 150	2 x 150
0,11	0,10	0,07
細 / fine (45μ)	極細 / extra fine (35μ)	超級細 / super fine (5-15μ)
\$650	\$650	\$650
\$1,850	\$1,850	\$1,850

EVE PROPHYSTRIPES

EVE PROPHYSTRIPES, 氧化鋁 富彈性的氧化鋁塗層工具，適用於復形材料包括樹脂聚合物、銀粉及真牙的研磨與修整。

藍 = 粗: 切削與塑型
紅 = 中: 平滑與預先磨光
灰 = 細: 磨光
白 = 極細: 高光澤磨光

- 修整、磨光
- 單面氧化鋁塗層
- 優質顆粒材質(提供四種顆粒等級)
- 僅單面塗層，使用時不傷害鄰近牙體
- 一次性使用

EVE PROPHYSTRIPES, aluminium oxide Flexible aluminum oxide coated cleaning and finishing strips for composites, amalgam and natural teeth.

Blue = coarse: Removing and contouring
Red = medium: Smoothing and pre-polishing
Yellow = fine: Polishing
White = extra fine: High-lustre polishing

- Finishing, polishing and cleaning
- Coated on one side with aluminum oxide
- Optimized grit level (four grit levels available)
- Does not damage adjacent teeth because of its one-sided coating
- Disposable

適用 / Applications

特性 / Characteristics

SET PS-50 25/25 個 / piece

產品編號: / Item No.: 9010

包裝 / Pack: 50 個 / piece

產品名稱: / Item:

產品編號: / Item No.:

尺寸 (mm): / Sizes (mm):

厚度 (mm): / Thickness (mm):

價格: / Price (NT\$): 50入

顆粒 / Grit: 粗 / coarse

顆粒 / Grit: 中 / medium

顆粒 / Grit: 細 / fine

顆粒 / Grit: 極細 / extra fine

	
PS-60/40	PS-20/7
9111	9112
4 x 150	4 x 150
0,21 / 0,17	0,14 / 0,11
\$500	\$500

EVE UNIVERSAL 白 / white

EVE UNIVERSAL

白色萬用型矽膠磨光工具，粗
萬用型矽膠磨光，適用於所有復形材料。

EVE UNIVERSAL

Silicone polisher white, coarse

Universal silicone polishers for restoration materials.

適用 /
Applications

- 復形材料包括陶瓷，貴金屬，及樹脂材料
- 切削與成型

- Porcelain, precious metals and acrylic materials
- Material removal and shaping

特性 /
Characteristics

- 高磨除量
- 硬質富彈性的矽膠
- 操控簡易
- 易於操作

- High level of abrasion
- Hard-flexible silicone binder
- Easy handling
- Controllable handling

EVE UNIVERSAL 白, 粗 / white, coarse

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10 入 100 入

					
R22	R17	L22	L18	L15	I22
1000	1004	1001	1007	1008	1002
22 x 3	17 x 2,5	22 x 4	18 x 3,5	15 x 2,5	22 x 1
\$250 \$1,600	\$250 \$1,600	\$250 \$1,600	\$250 \$1,600	\$250 \$1,600	\$250 \$1,600

EVE UNIVERSAL 白, 粗 / white, coarse

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10 入 100 入

			
S6	C7	C9	C12
1016	1017	1019	1022
6 x 24	7 x 20	9 x 20	12 x 20
\$250 \$1,600	\$250 \$1,600	\$300 \$2,150	\$400 \$2,700

EVE UNIVERSAL 白, 粗 / white, coarse

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000- 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10 入 100 入

			
H2Bg	H15g	H16g	H20g
1062	1055	1056	1060
5 x 10	14,5 x 2,5	14,5 x 2,5	14 x 12
\$550 \$4,000	\$550 \$4,000	\$550 \$4,000	\$1,000 \$7,150

EVE UNIVERSAL 白 / white

EVE UNIVERSAL

白色萬用型矽膠磨光工具，中等顆粒
萬用型矽膠磨光工具，用於所有復形材料。

EVE UNIVERSAL

Silicone polisher white, medium

Universal silicone polishers for restoration materials.

適用/ Applications

- 復形材料包括陶瓷，貴金屬與樹脂材料等
- 切削與成型

- Porcelain, precious metals and acrylic materials
- Material removal and shaping

特性/ Characteristics

- 磨除量高
- 硬質富彈性的矽膠
- 易於操作
- 操作簡易

- High level of abrasion
- Hard-flexible silicone binder
- Easy handling
- Controllable handling

EVE UNIVERSAL 白, 中 / white, medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000- 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入
	100入


				
H1	H2	H3	H4	H5
1041	1042	1043	1044	1045
5,5 x 15	4,5 x 12	6 x 11,5	5 x 16	9 x 8,5
\$550	\$550	\$550	\$550	\$550
\$4,000	\$4,000	\$4,000	\$4,000	\$4,000

EVE UNIVERSAL 白, 中 / white, medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入
	100入

			
H6	H7	H8	H9
1046	1047	1048	1049
8 x 6,5	7 x 10	11 x 2	11 x 2,5
\$550	\$550	\$550	\$550
\$4,000	\$4,000	\$4,000	\$4,000



EVE UNIVERSAL 黑 / black

EVE UNIVERSAL

黑色萬用型矽膠磨光工具，中等顆粒萬用型矽膠磨光工具，適用於貴金屬復形材料。

適用 / Applications

- 貴金屬合金復形材料
- 平滑

特性 / Characteristics

- 軟質矽膠
- 富彈性而滑順的磨光系統
- 易於操作

EVE UNIVERSAL

Silicone polisher black, medium

Universal silicone polishers for precious metal alloys.

- Precious metal alloys
- Smoothing
- Soft silicone binder
- Flexible and smooth polishing system
- Controllable handling

EVE UNIVERSAL 黑, 中 / black, medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000- 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸(mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入



R22m	R17m	L22m	L18m	I22m
1100	1104	1101	1107	1102
22 x 3	17 x 2,5	22 x 4	18 x 3,5	22 x 1
\$250 \$1,600	\$250 \$1,600	\$250 \$1,600	\$250 \$1,600	\$250 \$1,600

EVE UNIVERSAL 黑, 中 / black, medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000- 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸(mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入



S6m	C7m	C9m	H15m	H16m	H20m
1116	1117	1119	1155	1156	1160
6 x 24	7 x 20	9 x 20	14,5 x 2,5	14,5 x 2,5	14 x 12
\$250 \$1,600	\$250 \$1,600	\$300 \$2,150	\$550 \$4,000	\$550 \$4,000	\$1,000 \$7,150

EVE UNIVERSAL 黑, 中 / black, medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000- 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸(mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入



H1m	H2m	H3m	H4m	H8m	H9m
1141	1142	1143	1144	1148	1149
5,5 x 15	4,5 x 12	6 x 11,5	5 x 16	11 x 2	11 x 2,5
\$550 \$4,000	\$550 \$4,000	\$550 \$4,000	\$550 \$4,000	\$550 \$4,000	\$550 \$4,000

EVE UNIVERSAL 淺藍 / light blue
EVE UNIVERSAL

淺藍色矽膠磨光工具，細
通用的矽膠磨光工具，用於貴金屬合金
復形材料。

EVE UNIVERSAL
Silicone polisher light blue, fine

Universal silicone polishers for precious metals
alloys.

**適用 /
Applications**

- 貴金屬合金復形材料
- 高光澤磨光

- Precious metal alloys
- High gloss polishing

**特性 /
Characteristics**

- 軟質矽膠黏合劑
- 富彈性的磨光系統，使用順暢
- 易於操作

- Soft silicone binder
- Flexible and smooth polishing system
- Controllable handling

EVE UNIVERSAL 淺藍, 細 / light blue, fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入




R22f	R17f	L22f	L18f	I22f
1200	1204	1201	1207	1202
22 x 3	17 x 2,5	22 x 4	18 x 3,5	22 x 1
\$250 \$1,600	\$250 \$1,600	\$250 \$1,600	\$250 \$1,600	\$250 \$1,600

EVE UNIVERSAL 淺藍, 細 / light blue, fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入



S6f	C7f	C9f	H15f	H16f	H20f
1216	1217	1219	1255	1256	1260
6 x 24	7 x 20	12 x 20	14 x 2,5	14,5 x 2,5	14 x 12
\$250 \$1,600	\$250 \$1,600	\$300 \$2,150	\$550 \$4,000	\$550 \$4,000	\$1,000 \$7,150

EVE UNIVERSAL 淺藍, 細 / light blue, fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入



H1f	H2f	H3f	H4f	H8f	H9f
1241	1242	1243	1244	1248	1249
5,5 x 15	4,5 x 12	6 x 11,5	5 x 16	11 x 2	11 x 2,5
\$550 \$4,000	\$550 \$4,000	\$550 \$4,000	\$550 \$4,000	\$550 \$4,000	\$550 \$4,000

EVE UNIVERSAL 粉紅 / pink

EVE UNIVERSAL

矽膠萬用型磨光工具 粉紅，極細
通用的矽膠磨光工具，用於貴金屬合金復形材料。

EVE UNIVERSAL

Silicone polisher pink, extra fine

Universal silicone polishers for precious metals alloys.

適用 / Applications

- 貴金屬合金復形材料
- 鏡面磨光

- Precious metal alloys
- Mirror-shine polishing

特性 / Characteristics

- 柔軟矽膠黏合劑
- 富彈性及平滑磨光系統
- 易於操作

- Soft silicone binder
- Flexible and smooth polishing system
- Controllable handling

EVE UNIVERSAL 粉紅，極細 / pink, extra fine

顆粒 / Grit: 極細 / extra fine
包裝 / Pack: 10,100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入
	100入

				
R22sf	R17sf	L22sf	L18sf	I22sf
1300	1304	1301	1307	1302
22 x 3	17 x 2,5	22 x 4	18 x 3,5	22 x 1
\$250	\$250	\$250	\$250	\$250
\$1,600	\$1,600	\$1,600	\$1,600	\$1,600

EVE UNIVERSAL 粉紅，極細 / pink, extra fine

顆粒 / Grit: 極細 / extra fine
包裝 / Pack: 10,100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入
	100入

					
S6sf	C7sf	C9sf	H15sf	H16sf	H20sf
1316	1317	1319	1355	1356	1360
6 x 24	7 x 20	9 x 20	14,5 x 2,5	14,5 x 2,5	14 x 12
\$250	\$250	\$300	\$550	\$550	\$1,000
\$1,600	\$1,600	\$2,150	\$4,000	\$4,000	\$7,150

EVE UNIVERSAL 粉紅，極細 / pink, extra fine

顆粒 / Grit: 極細 / extra fine
包裝 / Pack: 10,100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入
	100入

					
H1sf	H2sf	H3sf	H4sf	H8sf	H9sf
1341	1342	1343	1344	1348	1349
5,5 x 15	4,5 x 12	6 x 11,5	5 x 16	11 x 2	11 x 2,5
\$550	\$550	\$550	\$550	\$550	\$550
\$4,000	\$4,000	\$4,000	\$4,000	\$4,000	\$4,000

EVE UNIVERSAL 藍 / blue

EVE UNIVERSAL

藍色萬用型矽膠磨光工具，中萬用的矽膠磨光工具，用於所有復形材料。

EVE UNIVERSAL

Silicone polisher blue, medium

Universal silicone polishers for restoration materials.

適用 / Applications

- 切削復形材料並修整瓷體
- 金屬鍛面磨光

- Material removal and shaping of porcelain
- Satin finish for metals

特性 / Characteristics


- 矽膠黏合劑
- 富彈性及滑順磨光系統
- 易於操作

- Silicone binder
- Flexible and smooth polishing system
- Controllable handling

EVE UNIVERSAL 藍, 中 / blue, medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入


				
R22BL	R17BL	LS22BL	LS18BL	I22BL
1400	1404	1401	1407	1402
22 x 3	17 x 2,5	22 x 4	18 x 3,5	22 x 1
\$250 \$1,600	\$250 \$1,600	\$250 \$1,600	\$250 \$1,600	\$250 \$1,600

EVE UNIVERSAL 藍, 中 / blue, medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

						
S6BL	C7BL	C9BL	H1BL	H4BL	H15BL	H20BL
1416	1417	1419	1441	1444	1455	1460
6 x 24	7 x 20	9 x 20	5,5 x 15	5 x 16	14,5 x 2,5	14 x 12
\$250 \$1,600	\$250 \$1,600	\$300 \$2,150	\$550 \$4,000	\$550 \$4,000	\$550 \$4,000	\$1,000 \$7,150



EVE DIAPOL®



Set HP 310
頁數 / Page: 52

適用 / Applications

特性 / Characteristics

EVE DIAPOL®

通用的鑽石研磨工具，用於瓷體與金屬等

復形材料。

EVE Diapol 可廣泛地運用於陶瓷的材料。

藍 = 第一步驟：切削並修整外形
粉紅 = 第二步驟：平滑表面
灰 = 第三步驟：高光澤磨光

- 復形材料包括陶瓷、金屬等
- 材料切削，平滑表面與高光澤磨光
- 特選的鑽石顆粒造就出色的磨光效果
- 快速
- Dialpols可替代上釉效果

EVE DIAPOL®

Universal diamond polishers for porcelain and metal.

EVE Diapol can be used universally for all available ceramic materials.

Blue = 1st step: Removing and shaping
Pink = 2nd step: Smoothing
Grey = 3rd step: High gloss polishing

- Porcelain, metals
- Material removal, smoothing and high gloss polishing
- Outstanding polishing results due to the specially selected diamond grit
- Fast results
- Dialpols replace glaze firing

EVE DIAPOL® 極粗 / x-coarse

操作研磨與切削材料的極粗系列

Extra coarse step for grinding and material removal.

顆粒 / Grit: 極粗 / x-coarse
包裝 / Pack: 1,10 個 / piece

產品名稱 / Item:	1入
產品編號 / Item No.:	10入
尺寸(mm) / Sizes (mm):	
價格 / Price (NT\$):	

轉速 / rec.: 5.000 - 10.000 min⁻¹
最高轉速 / max.: 20.000 min⁻¹



L26Dxg	6900	26 x 2	\$1,500	\$14,000
--------	------	--------	---------	----------

轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速 / max.: 20.000 min⁻¹



R17Dxg	6904	17 x 2,5	\$900	\$8,100
--------	------	----------	-------	---------

EVE DIAPOL® 粗 / coarse

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 1, 10 個 / piece


產品名稱 / Item:	1入
產品編號 / Item No.:	10入
尺寸(mm) / Sizes (mm):	
價格 / Price (NT\$):	

轉速 / rec.: 5.000 - 10.000 min⁻¹
最高轉速 / max.: 20.000 min⁻¹



L26Dg	SL20Dg	7000	7001	26 x 2	20 x 1	\$1,500	\$900	\$14,000	\$8,100
-------	--------	------	------	--------	--------	---------	-------	----------	---------

轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速 / max.: 20.000 min⁻¹



R17Dg	LS15Dg	7004	7008	17 x 2,5	15 x 2,5	\$900	\$550	\$8,100	\$4,800
-------	--------	------	------	----------	----------	-------	-------	---------	---------

轉速 / rec.: 7.000 - 15.000 min⁻¹
最高轉速 / max.: 25.000 min⁻¹



C2Dg	S3Dg	7032	7033	2 x 20	3 x 22	\$200	\$250	\$1,550	\$2,350
------	------	------	------	--------	--------	-------	-------	---------	---------

EVE DIAPOL® 粗 / coarse

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速 / max.: 20.000 min⁻¹

產品名稱 / Item:	1入
產品編號 / Item No.:	10入
尺寸(mm) / Sizes (mm):	
價格 / Price (NT\$):	

H11Dg	H2Dg	H4Dg	H8Dg	H15Dg	H16Dg	H22Dg
7051	7042	7044	7048	7055	7056	7062
3 x 7,5	4 x 13	5 x 16	11 x 2	14,5 x 2,5	14,5 x 2,5	22 x 0,5
\$200	\$400	\$600	\$400	\$700	\$700	\$900
\$1,550	\$3,400	\$5,350	\$3,400	\$6,400	\$6,400	\$8,100

彈性的 / flexible



EVE DIAPOL® 中 / medium



顆粒 / Grit: 中 / medium
包裝 / Pack: 1, 10 個 / piece

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

轉速 / rec.: 5.000 - 10.000 min ⁻¹ 最高轉速 / max.: 20.000 min ⁻¹		轉速 / rec.: 7.000 - 10.000 min ⁻¹ 最高轉速 / max.: 20.000 min ⁻¹		轉速 / rec.: 7.000 - 15.000 min ⁻¹ 最高轉速 / max.: 25.000 min ⁻¹	
L26Dmf	SL20Dmf	R17Dmf	LS15Dmf	C2Dmf	S3Dmf
7100	7101	7104	7108	7132	7133
26 x 2	20 x 1	17 x 2,5	15 x 2,5	2 x 20	3 x 22
\$1,500	\$900	\$900	\$550	\$200	\$250
\$14,000	\$8,100	\$8,100	\$4,800	\$1,550	\$2,350

EVE DIAPOL® 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速 / max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

						彈性的 / flexible
H11Dmf	H2Dmf	H4Dmf	H8Dmf	H15Dmf	H16Dmf	H22Dmf
7151	7142	7144	7148	7155	7156	7162
3 x 7,5	4 x 13	5 x 16	11 x 2	14,5 x 2,5	14,5 x 2,5	22 x 0,5
\$200	\$400	\$600	\$400	\$700	\$700	\$900
\$1,550	\$3,400	\$5,350	\$3,400	\$6,400	\$6,400	\$8,100

EVE DIAPOL® 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 1, 10 個 / piece

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

轉速 / rec.: 5.000 - 10.000 min ⁻¹ 最高轉速 / max.: 20.000 min ⁻¹		轉速 / rec.: 7.000 - 10.000 min ⁻¹ 最高轉速 / max.: 20.000 min ⁻¹		轉速 / rec.: 7.000 - 15.000 min ⁻¹ 最高轉速 / max.: 25.000 min ⁻¹	
L26D	SL20D	R17D	LS15D	C2D	S3D
7200	7201	7204	7208	7232	7233
26 x 2	20 x 1	17 x 2,5	15 x 2,5	2 x 20	3 x 22
\$1,500	\$900	\$900	\$550	\$200	\$250
\$14,000	\$8,100	\$8,100	\$4,800	\$1,550	\$2,350

EVE DIAPOL® 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速 / max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入

						彈性的 / flexible
H11D	H2D	H4D	H8D	H15D	H16D	H22D
7251	7242	7244	7248	7255	7256	7262
3 x 7,5	4 x 13	5 x 16	11 x 2	14,5 x 2,5	14,5 x 2,5	22 x 0,5
\$200	\$400	\$600	\$400	\$700	\$700	\$900
\$1,550	\$3,400	\$5,350	\$3,400	\$6,400	\$6,400	\$8,100

EVE DIAPOL® LONGPINS

EVE DIAPOL® LONGPINS

萬用型的鑽石研磨工具，用於瓷與金屬等復形材料，可直接置入手機內。

藍 = 第一步驟：切削並修整外形
粉 = 第二步驟：平滑表面
灰 = 第三步驟：高光澤磨光

適用 / Applications

- 準備咬合面或其他細節
- 減少牙冠內層的摩擦
- 可直接置入手機內
- 能選擇最深入的角度(至90°)
- 切削，平滑表面及高光澤磨光
- 精準，重點操作

特性 / Characteristics

- 可用修整工具調整研磨角度
- 由硬質的合成材料所製成全鑽石鑽頭磨光
- 最短操作時間


EVE DIAPOL® LONGPINS

Universal diamond polishers for porcelain and metal.

Designed to be inserted directly into the handpiece.

Blue = 1st step: Removing and shaping
Pink = 2nd step: Smoothing
Grey = 3rd step: High gloss polishing

- Preparing the occlusal surface or other details
- Reducing friction in crowns
- Insert directly into the handpiece
- Choose the steepest possible work angle (ideally 90°)
- Removal, smoothing and high gloss polishing
- Exceptionally precise, focused application



EVE DIAPOL® LONGPINS

可在無軸心時使用 /
Can be used without mandrel

包裝 / Pack: 1, 10 個 / piece*
*包含修整工具AS10
*incl. dressing tool AS10
轉速 / rec.: 7.000 - 15.000 min⁻¹
最高轉速/max.: 25.000 min⁻¹



修整工具 /
Dressing tool



產品名稱: / Item:	C235Dg	C235Dmf	C235D	AS10
產品編號: / Item No.:	7037	7137	7237	9501
尺寸 (mm): / Sizes (mm):	2,35 x 35	2,35 x 35	2,35 x 35	20 x 33 x 4
顆粒: / Grit:	粗 / coarse	中 / medium	細 / fine	金剛砂 / Corundum
價格: / Price (NT\$):	1入 \$1,200 10入 \$11,400	1入 \$1,200 10入 \$11,400	1入 \$1,200 10入 \$11,400	1入 \$150 10入 —

EVE ECOCERAM

EVE ECOCERAM

矽膠研磨工具，用於瓷體。

淺灰 = 第一步驟：切削並修整外形
粉 = 第二步驟：平滑表面
灰 = 第三步驟：磨光

適用 / Applications

- 適用瓷體復形材料
- 材料切削，平滑並磨光

適用 / Characteristics

- 高階材料切削
- 硬質富彈性矽膠黏合
- 操作簡單
- 易於操作

EVE ECOCERAM

Silicone polishers for porcelain.

Light grey = 1st step: Removing and contouring
Pink = 2nd step: Smoothing
Grey = 3rd step: Polishing


- Porcelain
- Material removal, smoothing and polishing

- High level of material removal
- Hard-flexible silicone binder
- Easy handling
- Controllable handling

EVE ECOCERAM VK 粗 / coarse

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 15.000 min⁻¹
最高轉速/max.: 25.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入 100入

							
R22VK	R17VK	LS22VK	LS18VK	S6VK	C7VK	H4VK	H15VK
1500	1504	1501	1507	1516	1517	1544	1555
22 x 3	17 x 2,5	22 x 4	18 x 3	6 x 24	7 x 20	5 x 16	14,5 x 2,5
—	—	—	—	—	—	\$600	\$600
\$250	\$250	\$250	\$250	\$250	\$250	\$4,250	\$4,250
\$1,750	\$1,750	\$1,750	\$1,750	\$1,750	\$1,750	—	—

EVE ECOCERAM NK 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 15.000 min⁻¹
最高轉速/max.: 25.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入 100入

							
R22NK	R17NK	LS22NK	LS18NK	S6NK	C7NK	H4NK	H15NK
1600	1604	1601	1607	1616	1617	1644	1655
22 x 3	17 x 2,5	22 x 4	18 x 3	6 x 24	7 x 20	5 x 16	14,5 x 2,5
—	—	—	—	—	—	\$600	\$600
\$250	\$250	\$250	\$250	\$250	\$250	\$4,250	\$4,250
\$1,750	\$1,750	\$1,750	\$1,750	\$1,750	\$1,750	—	—

EVE ECOCERAM SK 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 15.000 min⁻¹
最高轉速/max.: 25.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入 100入

							
R22SK	R17SK	LS22SK	LS18SK	S6SK	C7SK	H4SK	H15SK
1700	1704	1701	1707	1716	1717	1744	1755
22 x 3	17 x 2,5	22 x 4	18 x 3	6 x 24	7 x 20	5 x 16	14,5 x 2,5
—	—	—	—	—	—	\$600	\$600
\$250	\$250	\$250	\$250	\$250	\$250	\$4,250	\$4,250
\$1,750	\$1,750	\$1,750	\$1,750	\$1,750	\$1,750	—	—

EVE DIAPRO



Set HP 360
頁數 / Page: 52

EVE DIAPRO

用於如長石、白榴石和鋰二矽酸鹽的矽膠陶瓷等復形材料的全鑽研磨工具。

紅 = 第一步驟：平滑及預先磨光
淺黃 = 第二步驟：高光澤磨光

EVE DIAPRO

Diamond polishers for silicate ceramics like feldspar, leucite and lithium disilicate ceramic materials.

Red = 1st step: Smoothing and pre-polishing
Light yellow = 2nd step: High gloss polishing

適用 / Applications

- 切削材料的建議：
EVE Diasynt Plus，中等顆粒
- 專為復形材料成分為長石、白榴石和鋰二矽酸鹽的瓷體材質設計

特性 / Characteristics

- 平滑與高光澤磨光
- 特選的鑽石顆粒造就出色的磨光效果

- Recommended for material removal: EVE Diasynt Plus; medium grit
- Specifically designed for silicate ceramics such as feldspar ceramics, leucite ceramics and lithium disilicate
- Smoothing and high gloss polishing

- Outstanding polishing results due to the specially selected diamond grit

EVE DIAPRO 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1 入 10 入

				
L26DPmf	SL20DPmf	H2DPmf	H8DPmf	R17DPmf
7800	7801	7842	7848	7804
26 x 2	20 x 1	4 x 13	11 x 2	17 x 2,5
\$1,600 \$14,950	\$950 \$8,650	\$400 \$3,700	\$400 \$3,700	\$950 \$8,650

EVE DIAPRO 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1 入 10 入

				
L26DP	SL20DP	H2DP	H8DP	R17DP
7900	7901	7942	7948	7904
26 x 2	20 x 1	4 x 13	11 x 2	17 x 2,5
\$1,600 \$14,950	\$950 \$8,650	\$400 \$3,700	\$400 \$3,700	\$950 \$8,650

EVE DIACERA



Set HP 321
頁數 / Page: 53

EVE DIACERA

用於氧化鋯復形材料的全鑽研磨工具

綠 = 第一步驟：平滑及預先磨光
橘 = 第二步驟：高光澤磨光

EVE DIACERA

Diamond polishers for zirconia.

Green = 1st step: Smoothing and pre-polishing
Orange = 2nd step: High gloss polishing

適用 / Applications

- 切削材料的建議：
EVE Diasynt Plus，粗顆粒
- 專為氧化鋯與氧化鋁等復形材料設計
- 平滑及高光澤磨光

特性 / Characteristics

- 特選的鑽石顆粒造就出色的磨光結果
- 低轉速不易發熱
- 對研磨材質溫柔親和
- Recommended for material removal:
EVE Diasynt Plus, coarse grit
- Specifically designed for zirconium oxide and aluminum oxide
- Smoothing and high gloss polishing
- Outstanding polishing results due to the specially selected diamond grit
- Low speed minimizes heat generation
- More gentle on processed materials

EVE DIACERA 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1 入 10 入

				
L26DCmf	SL20DCmf	H2DCmf	H8DCmf	R17DCmf
7600	7601	7642	7648	7604
26 x 2	20 x 1	4 x 13	11 x 2	17 x 2,5
\$1,600	\$950	\$400	\$400	\$950
\$14,950	\$8,650	\$3,700	\$3,700	\$8,650

EVE DIACERA 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1 入 10 入

				
L26DC	SL20DC	H2DC	H8DC	R17DC
7700	7701	7742	7748	7704
26 x 2	20 x 1	4 x 13	11 x 2	17 x 2,5
\$1,600	\$950	\$400	\$400	\$950
\$14,950	\$8,650	\$3,700	\$3,700	\$8,650

EVE ECOCERAM WG 操作燒結前的氧化鋯 / Processing pre-sintered zirconia

EVE ECOCERAM WG

矽膠研磨工具，專用於操作燒結前的氧化鋯復形材料。

深灰 = 第一步驟：切削與成型
淺灰 = 第二步驟：高光澤磨光

EVE ECOCERAM WG

Silicone polishers for the processing of pre-sintered zirconia.

Dark grey = 1st step: Reducing and shaping
Light grey = 2nd step: High gloss polishing

適用/ Applications

- 陶瓷瓷塊復形材料
- 平滑及高光澤磨光
- 打薄牙冠邊緣
- 可移除支撐柱

- Porcelain blanks
- Smoothing and high gloss polishing
- Thinning out crown margins
- Sprue removal

特性/ Characteristics

- 減少作業時間：
磨光的白色階段 = 高光澤燒結的修復
- 無色料
- 專為較低強度材質所研發
- 軟矽膠黏合
- 具彈性且平滑的研磨系統

- Reduced operating time:
polished white stage = high gloss sintered restoration
- No color pigments (no blemishes)
- Developed for the low inherent strength of the material
- Soft silicone binder
- Flexible and smooth polishing system

EVE ECOCERAM WG 中 / medium

顆粒 / Grit: 中 / medium
轉速 / rec.: 4.000 - 7.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

R22m-WG

包裝 / Pack: 10, 100 個 / piece

H334Km-WG

包裝 / Pack: 10, 100 個 / piece

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10 入 100 入



	R22m-WG	H334Km-WG
產品編號: / Item No.:	2800	2834
尺寸 (mm): / Sizes (mm):	22 x 3	10 x 24
價格: / Price (NT\$):	\$300 \$1,950	\$1,100 \$8,200

EVE ECOCERAM WG 細 / fine

顆粒 / Grit: 細 / fine
轉速 / rec.: 4.000 - 7.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

R22f-WG

包裝 / Pack: 10, 100 個 / piece

H334Kf-WG

包裝 / Pack: 10, 100 個 / piece

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10 入 100 入



	R22f-WG	H334Kf-WG
產品編號: / Item No.:	2900	2934
尺寸 (mm): / Sizes (mm):	22 x 3	10 x 24
價格: / Price (NT\$):	\$300 \$1,950	\$1,100 \$8,200

EVE DIACOMP® ULTRA

EVE DIACOMP® ULTRA

製作樹脂貼片與金屬牙橋的快速全鑽研磨工具。

使用者可調整操作力道來控制切削與高光澤磨光的程度

只需一步驟：平滑 / 高光澤磨光

EVE DIACOMP® ULTRA

Single-step diamond polisher for processing veneer resin and metal bridges.

Users can control material removal and high gloss polishing levels by adjusting the pressure.

One step: smoothing / high gloss polishing

適用 / Applications


- 樹脂貼片復形材料
- 使金屬牙橋具高光澤感
- 極佳的過渡產品
- 由速度與壓力的控制能有效運作

- Veneering resin
- High gloss on metal bridges
- Ideal for transitions
- Efficiency is controlled by speed and pressure

特性 / Characteristics

- 含有高精準度鑽石顆粒的特殊設計黏合
- 特選的鑽石顆粒造就出色的磨光結果
- 操作時間減短，材料耗損度低

- High concentration of diamond particles in a specifically designed binder
- Outstanding results due to the diamond grit
- Short processing time; minimal instrument wear



EVE DIACOMP® ULTRA

顆粒 / Grit: 細 / fine
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 3,000 - 10,000 min⁻¹
最高轉速/max.: 20,000 min⁻¹

產品名稱 / Item:	
產品編號 / Item No.:	
尺寸 (mm) / Sizes (mm):	
價格 / Price (NT\$):	1 入 10 入

		
DCU-H4	DCU-H15	DCU-H16
6044	6055	6056
5 x 16	14,5 x 2,5	14,5 x 2,5
\$700	\$800	\$800
\$6,250	\$7,350	\$7,350

EVE TECHNIK



Set HP 115
頁數 / Page: 53

適用 / Applications

特性 / Characteristics

EVE TECHNIK

矽膠研磨工具，用於活動樹脂、義齒補綴及矯正樹脂等復形材料。

綠 = 第一步驟：切削與成型
灰 = 第二步驟：平滑
淺灰 = 第三步驟：高光澤磨光

- 復形材料包括活動樹脂、義齒補綴及矯正樹脂等
- 修整及高光澤磨光

- 矽膠碳化物磨料
- 中等硬度矽膠黏合
- 操作簡單
- 易於操作

EVE TECHNIK

Silicone polishers for denture acrylic, prostheses and orthodontic acrylic.

Green = 1st step: Removing and shaping
Grey = 2nd step: Smoothing
Light green = 3rd step: High gloss polishing

- Prosthetic and orthodontic acrylics
- Preparation and high gloss polishing

- Silicon carbide abrasive
- Medium-hard silicone binder
- Easy handling
- Controllable handling

EVE TECHNIK 粗 / coarse

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10, 25, 100 個 / piece
轉速 / rec.: 5,000 - 7,000 min⁻¹
最高轉速/max.: 15,000 min⁻¹

產品名稱 / Item:	
產品編號 / Item No.:	
尺寸 (mm) / Sizes (mm):	
價格 / Price (NT\$):	10入
	25入
	100入

					
H330K	H332K	H334K	H336K	H338	H340
2030	2032	2034	2036	2038	2040
12 x 22	10 x 20	10 x 24	15 x 17	5,5 x 16	6,5 x 17
\$1,000	\$1,000	\$1,000	\$1,000	\$900	\$900
\$2,200	\$2,200	\$2,200	\$2,200	\$2,000	\$2,000
\$7,250	\$7,250	\$7,250	\$7,250	\$6,550	\$6,550

EVE TECHNIK 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 25, 100 個 / piece
轉速 / rec.: 5,000 - 7,000 min⁻¹
最高轉速/max.: 15,000 min⁻¹

產品名稱 / Item:	
產品編號 / Item No.:	
尺寸 (mm) / Sizes (mm):	
價格 / Price (NT\$):	10入
	25入
	100入

					
H330Km	H332Km	H334Km	H336Km	H338m	H340m
2130	2132	2134	2136	2138	2140
12 x 22	10 x 20	10 x 24	15 x 17	5,5 x 16	6,5 x 17
\$1,000	\$1,000	\$1,000	\$1,000	\$900	\$900
\$2,200	\$2,200	\$2,200	\$2,200	\$2,000	\$2,000
\$7,250	\$7,250	\$7,250	\$7,250	\$6,550	\$6,550

EVE TECHNIK 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 10, 25, 100 個 / piece
轉速 / rec.: 5,000 - 7,000 min⁻¹
最高轉速/max.: 15,000 min⁻¹

產品名稱 / Item:	
產品編號 / Item No.:	
尺寸 (mm) / Sizes (mm):	
價格 / Price (NT\$):	10入
	25入
	100入

					
H330Kf	H332Kf	H334Kf	H336Kf	H338f	H340f
2230	2232	2234	2236	2238	2240
12 x 22	10 x 20	10 x 24	15 x 17	5,5 x 16	6,5 x 17
\$1,000	\$1,000	\$1,000	\$1,000	\$900	\$900
\$2,200	\$2,200	\$2,200	\$2,200	\$2,000	\$2,000
\$7,250	\$7,250	\$7,250	\$7,250	\$6,550	\$6,550

EVE ACRYL

適用與特性

對照 EVE TECHNIK p. 38

Applications and Characteristics

see EVE TECHNIK p. 38

EVE ACRYL

矽膠研磨工具，用於活動樹脂、義齒補綴及矯正樹脂等復形材料。

氧化鋁研磨

藍 = 第一步驟：切削與成型

淺藍 = 第二步驟：平滑

EVE ACRYL

Silicone polishers for denture acrylic and orthodontic acrylic.

Aluminum oxide abrasive

Blue = 1st step: Removing and shapingLight blue = 2nd step: Smoothing

EVE ACRYL 粗 / coarse

 顆粒 / Grit: 粗 / coarse
 包裝 / Pack: 10, 25, 100 個 / piece
 轉速 / rec.: 5.000 - 7.000 min⁻¹
 最高轉速/max.: 15.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 25入 100入

			
H332A	H334A	H336A	H338A
2332	2334	2336	2338
10 x 20	10 x 24	15 x 17	5,5 x 16
\$1,100	\$1,100	\$1,100	\$900
\$2,450	\$2,450	\$2,450	\$2,000
\$8,200	\$8,200	\$8,200	\$6,550

EVE ACRYL 中 / medium

 顆粒 / Grit: 中 / medium
 包裝 / Pack: 10, 25, 100 個 / piece
 轉速 / rec.: 5.000 - 7.000 min⁻¹
 最高轉速/max.: 15.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 25入 100入

			
H332Am	H334Am	H336Am	H338Am
2432	2434	2436	2438
10 x 20	10 x 24	15 x 17	5,5 x 16
\$1,100	\$1,100	\$1,100	\$900
\$2,450	\$2,450	\$2,450	\$2,000
\$8,200	\$8,200	\$8,200	\$6,550

EVE SOFT WHEELS



Set HP 125

頁數 / Page: 53

適用 / Applications

特性 / Characteristics

EVE SOFT WHEELS

軟棉輪，用於樹脂、熱塑性材料與軟襯。

- 熱塑性材料 (Nylon, PE, PP...) 及樹脂
- 矽膠製
- 高光澤磨光材質不溶解
- 建議搭配同樣不溶解的切削材料: EVE UNITRIM

- 軟棉輪的磨光材料
- 熱度低，不易熔化復形材料
- 可隨表面彈性調整
- 低 RPM

EVE SOFT WHEELS

Impregnated cotton buffs for acrylic, thermoplastic materials and soft liners.

- Thermoplastics (nylon, PE, PP...) and acrylates
- Silicone based relinings
- High gloss polishing without melting
- Recommended for material removal without melting: EVE UNITRIM

- Cotton buffs impregnated with polishing material
- Low heat generation, no melting
- Flexibly adjusts to surfaces
- Low RPM

 包裝 / Pack: 10, 100 個 / piece
 轉速 / rec.: 5.000 - 7.000 min⁻¹
 最高轉速/max.: 10.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

 顆粒 / Grit:
 中 / medium

 顆粒 / Grit:
 細 / fine


SW-R22m	SW-R22f
9801	9802
22 x 3	22 x 3
\$1,050	\$1,050
\$9,650	\$9,650

EVE CHROM PLUS



Set HP 219
頁數 / Page: 53

適用 / Applications

特性 / Characteristics

EVE CHROM PLUS

鉻合金、不鏽鋼和鈦金屬等復形材料。

藍 = 第一步驟：切削與成型
淺藍 = 第二步驟：高光澤磨光

- 復形材料包括鉻合金、不鏽鋼和鈦金屬等
- 修整與高光澤磨光
- 本系統專為操作高強度合金設計
- 堅硬、彈性合成橡膠黏合
- 高等級切削材料
- 易於操作

EVE CHROM PLUS

Polishers for chrome alloys, stainless steel and titanium.

Blue = 1st step: Removing and smoothing
Light blue = 2nd step: High gloss polishing

- Chrome alloys, stainless steel and titanium
- Preparation and high gloss polishing
- The system is optimally designed for application on high-strength alloys
- Hard, flexible synthetic rubber binder
- High level of material removal
- Controllable handling

EVE CHROM PLUS 中 / medium

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 8.000 - 15.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸(mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

CRP-R22m	CRP-R22/1m	CRP-LS22m	CRP-C6m	CRP-H4m	CRP-H15m
4000	4002	4001	4017	4044	4055
22 x 3	22 x 1	22 x 3,5	6 x 22	5 x 16	14,5 x 2,5
\$300	\$300	\$300	\$300	\$600	\$650
\$1,950	\$1,950	\$1,950	\$1,950	\$4,300	\$4,800

EVE CHROM PLUS 細 / fine

顆粒 / Grit: 細 / fine
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 8.000 - 15.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

CRP-R22f	CRP-R22/1f	CRP-LS22f	CRP-C6f	CRP-H4f	CRP-H15f
4100	4102	4101	4117	4144	4155
22 x 3	22 x 1	22 x 3,5	6 x 22	5 x 16	14,5 x 2,5
\$300	\$300	\$300	\$300	\$600	\$650
\$1,950	\$1,950	\$1,950	\$1,950	\$4,300	\$4,800

EVE ECOCHROM

EVE ECOCHROM

用於鈷鉻和其他非貴金屬合金等復形材料的研磨工具。

EVE ECOCHROM

Polisher for chrome cobalt and other non-precious metal alloys.

適用 / Applications

- 用於較粗的復形材料切削
- 鈷鉻、含鉻非貴金屬的合金

- For coarse material removal
- Chrome cobalt, chrome-containing and non-precious alloys

特性 / Characteristics

- 極堅硬的研磨工具
- 耐磨
- 高等級切削材料
- 堅硬、硬質合成橡膠黏合

- Extremely hard and abrasive polisher
- Wear resistant
- Very high level of material removal
- Hard, rigid synthetic rubber binder



EVE ECOCHROM

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10, 100個 / piece
轉速 / rec.: 8.000 - 15.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入
	100入



ECR-R22	ECR-L22	ECR-C6
4200	4201	4217
22 x 3	22 x 4	6 x 22
\$150	\$150	\$150
\$1,000	\$1,000	\$1,000



EVEFLEX PINS

顆粒: / Grit:
硬度: / Bond:

中等 / medium
超硬 / x-hard

超粗 / x-coarse
硬 / hard

粗 / coarse
中等 / medium

中等 / medium
中等 / medium

細 / fine
柔軟 / soft

EVEFLEX Pins

針對研磨貴金屬、非貴金屬及鈷鉻合金等復形材料，用細緻的顆粒研磨出咬合面的研磨工具。

能完美地研磨到難接觸的地方。2mm寬度特別適用於牙齒形態上隙縫的磨光。更多不同粗度的研磨工具，請對照Technik 400 - 800 系列。

敘述解說:

ex.41

4 = 系列 400 - 800
1 = 直徑 (mm)

EVEFLEX Pins

Occlusal surface polisher in finely graduated grits for polishing precious metals, non-precious metals and chrome cobalt alloys.

Ideally suited for hard to reach areas. The 2-mm thin pins are especially well suited for fissure polishing. For more information about the differences of the individual pin polishers, please consult EVEFLEX Technik 400 - 800 series.

Explanation of article description:

f. ex. 41

4 = 400 - 800 series
1 = Diameter in mm

EVEFLEX PINS

包裝 / Pack: 10, 100* 個 / piece
含或不含軸心 /
with or without mandrel
轉速 / rec.: 10.000 - 15.000 min⁻¹
最高轉速/max.: 30.000 min⁻¹

產品名稱: / Item:

產品編號: / Item No.:

尺寸 (mm): / Sizes (mm):

價格: / Price (NT\$): 10入
100入
100入+110HP/120HP

											
41	51	61	71	81	110HP	42	52	62	72	82	120HP
4341	4351	4361	4371	4381	9541	4342	4352	4362	4372	4382	9542
1 x 10						2 x 20					
\$250	\$250	\$250	\$250	\$250	1入 \$250	\$250	\$250	\$250	\$250	\$250	1入 \$250
\$1,550	\$1,550	\$1,550	\$1,550	\$1,550	10入 \$2,200	\$1,550	\$1,550	\$1,550	\$1,550	\$1,550	10入 \$2,200
\$1,750	\$1,750	\$1,750	\$1,750	\$1,750	—	\$1,750	\$1,750	\$1,750	\$1,750	\$1,750	—

EVEFLEX PINS

包裝 / Pack: 10, 100* 個 / piece
*含或不含軸心 /
*with or without mandrel
轉速 / rec.: 10.000 - 15.000 min⁻¹
最高轉速/max.: 30.000 min⁻¹

產品名稱: / Item:

產品編號: / Item No.:

尺寸 (mm): / Sizes (mm):

價格: / Price (NT\$): 10入
100入
100入+110HP/140HP

											
43	53	63	73	83	130HP	44	54	64	74	84	140HP
4343	4353	4363	4373	4383	9543	4344	4354	4364	4374	4384	9544
3 x 23						4 x 26					
\$250	\$250	\$250	\$250	\$250	1入 \$250	\$300	\$300	\$300	\$300	\$300	1入 \$300
\$1,550	\$1,550	\$1,550	\$1,550	\$1,550	10入 \$2,200	\$1,950	\$1,950	\$1,950	\$1,950	\$1,950	10入 \$2,700
\$1,750	\$1,750	\$1,750	\$1,750	\$1,750	—	\$2,200	\$2,200	\$2,200	\$2,200	\$2,200	—

EVEFLEX PINS

包裝 / Pack: 10, 100* 個 / piece
*含或不含軸心 /
* with or without mandrel
轉速 / rec.: 10.000 - 15.000 min⁻¹
最高轉速/max.: 30.000 min⁻¹

產品名稱: / Item:

產品編號: / Item No.:

尺寸 (mm): / Sizes (mm):

價格: / Price (NT\$): 10入
100入
100入+110HP/150HP

					
45	55	65	75	85	150HP
4345	4355	4365	4375	4385	9545
5 x 28					
\$300	\$300	\$300	\$300	\$300	1入 \$300
\$1,950	\$1,950	\$1,950	\$1,950	\$1,950	10入 \$2,700
\$2,200	\$2,200	\$2,200	\$2,200	\$2,200	—

EVEFLEX TECHNIK, 咖啡 (系列 400) / brown (Series 400)

顆粒: / Grit:
硬度: / Bond:



中等 / medium
超硬 / x-hard

EVEFLEX TECHNIK, 咖啡色 (系列 400)

用於非貴金屬合金復形材料，堅硬且耐用的研磨工具。

EVEFLEX TECHNIK, brown (Series 400)

Hard and long-lasting polishers for non-precious alloys and model casting material.

適用 / Applications

- 適用於研磨與預先磨光
- 切削材料的表面
- 非貴金屬復形材料

- For grinding and pre-polishing
- Removing casting skin
- Non-precious metals and model casting

特性 / Characteristics

- 非常堅硬且耐磨的研磨工具
- 高等級切削材料
- 堅硬、彈性合成橡膠黏合


- Very hard and wear-resistant polisher
- High level of material removal
- Hard, flexible synthetic rubber binder

EVEFLEX TECHNIK, 咖啡 (系列 400) / brown (Series 400)

顆粒 / Grit: 中 / medium
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸(mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

					
401	422	403	425	406	411
4401	4422	4403	4425	4406	4411
22 x 3	22 x 4	7 x 20	26 x 1,2	5,5 x 18	3 x 7,5
\$300	\$300	\$300	\$300	\$600	\$600
\$1,950	\$1,950	\$1,950	\$1,950	\$4,300	\$4,300



EVEFLEX TECHNIK, 藍 (系列 500) / blue (Series 500)

顆粒: / Grit:
硬度: / Bond:



超粗 / x-coarse
堅硬 / hard

適用 / Applications

特性 / Characteristics

EVEFLEX TECHNIK, 藍 (系列 500)

適用於鉻鉻、不鏽鋼與其他非貴金屬合金等復形材料的研磨工具。

- 針對粗的切削材料與修整外形
- 適用於鉻鉻、不鏽鋼與非貴金屬等復形材料

- 耐磨的研磨工具
- 高等級切削材料
- 合成橡膠黏合劑

EVEFLEX TECHNIK, blue (Series 500)

Polishers for chrome-cobalt, stainless steel and other non-precious alloys.

- For coarse removal and shaping
- Chrome cobalt, stainless steel and non-precious metals

- Wear-resistant polisher
- High level of material removal
- Synthetic rubber binder

EVEFLEX TECHNIK, 藍 (系列 500) / blue (Series 500)

顆粒 / Grit: 超粗 / x-coarse
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10 入 100 入

501	502	522	503	560
4501	4502	4522	4503	4560
22 x 3	22 x 1	22 x 4	7 x 20	6 x 22
\$300 \$1,950	\$300 \$1,950	\$300 \$1,950	\$300 \$1,950	\$300 \$1,950

EVEFLEX TECHNIK, 藍 (系列 500) / blue (Series 500)

顆粒 / Grit: 超粗 / x-coarse
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10 入 100 入

511	504	512	513	505	506	507
4511	4504	4512	4513	4505	4506	4507
3 x 7,5	4,3 x 12	5,5 x 13	5,5 x 16	5 x 16	5,5 x 18	7 x 15
\$600 \$4,300	\$600 \$4,300	\$600 \$4,300	\$600 \$4,300	\$600 \$4,300	\$600 \$4,300	\$600 \$4,300

EVEFLEX TECHNIK, 藍 (系列 500) / blue (Series 500)

顆粒 / Grit: 超粗 / x-coarse
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10 入 100 入

515	508	509	510	520
4515	4508	4509	4510	4520
14,5 x 2	14,5 x 2,5	19 x 0,5	10 x 12	14 x 12
\$650 \$4,800	\$650 \$4,800	\$650 \$4,800	\$650 \$4,800	\$1,050 \$7,600

EVEFLEX TECHNIK, 灰 (系列 600) / grey (Series 600)

顆粒: / Grit:
硬度: / Bond:

粗 / coarse
中 / medium

EVEFLEX TECHNIK, 灰色(系列 600)
針對復形材料貴金屬與非貴金屬合金等的研磨工具。

EVEFLEX TECHNIK, grey (Series 600)
Polishers for precious and non-precious alloys.

適用 / Applications

- 針對材料切削與成型
- 適用於貴金屬與非貴金屬等復形材料

- For material removal and shaping
- Precious and non-precious metals

特性 / Characteristics

- 彈性、耐磨的研磨工具
- 高等切削材料
- 合成橡膠黏合劑

- Flexible, wear-resistant polisher
- High level of material removal
- Synthetic rubber binder

EVEFLEX TECHNIK, 灰 (系列 600) / grey (Series 600)

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10,100 個 / piece
轉速 / rec.: 7,000 - 12,000 min⁻¹
最高轉速 / max: 20,000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

				
601	602	622	603	660
4601	4602	4622	4603	4660
22 x 3	22 x 1	22 x 4	7 x 20	6 x 22
\$300	\$300	\$300	\$300	\$300
\$1,950	\$1,950	\$1,950	\$1,950	\$1,950

EVEFLEX TECHNIK, 灰 (系列 600) / grey (Series 600)

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10,100 個 / piece
轉速 / rec.: 7,000 - 12,000 min⁻¹
最高轉速 / max: 20,000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

						
611	604	612	613	605	606	607
4611	4604	4612	4613	4605	4606	4607
3 x 7,5	4,3 x 12	5,5 x 13	5,5 x 16	5 x 16	5,5 x 18	7 x 15
\$600	\$600	\$600	\$600	\$600	\$600	\$600
\$4,300	\$4,300	\$4,300	\$4,300	\$4,300	\$4,300	\$4,300

EVEFLEX TECHNIK, 灰 (系列 600) / grey (Series 600)

顆粒 / Grit: 粗 / coarse
包裝 / Pack: 10, 100 個 / piece
轉速 / rec.: 7,000 - 12,000 min⁻¹
最高轉速 / max: 20,000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

				
615	608	609	610	620
4615	4608	4609	4610	4620
14,5 x 2	14,5 x 2,5	19 x 0,5	10 x 12	14 x 12
\$650	\$650	\$650	\$650	\$1,050
\$4,800	\$4,800	\$4,800	\$4,800	\$7,600

EVEFLEX TECHNIK, 紅咖啡 (系列 700) / red brown (Series 700)

 顆粒 / Grit:
 硬度 / Bond:

 中 / medium
 中 / medium

EVEFLEX TECHNIK, 紅咖啡 (系列 700)
 適用於貴金屬與非貴金屬合金等復形材料的
 研磨工具。

EVEFLEX TECHNIK, red brown (Series 700)
 Polishers for precious and non-precious alloys.

**適用 /
Applications**

- 用於平滑
- 用於緞面完成
- 復形材料包括貴金屬與非貴金屬等

- For smoothing
- For a satin finish
- Precious metals and non-precious metals

**特性 /
Characteristics**

- 柔軟，具彈性合成橡膠黏合劑

- Soft, flexible synthetic rubber binder

EVEFLEX TECHNIK, 紅咖啡 (系列 700) / red brown (Series 700)

 顆粒 / Grit: 中 / medium
 包裝 / Pack: 10, 100 個 / piece
 轉速 / rec.: 7.000 - 12.000 min⁻¹
 最高轉速 / max: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

				
701	702	722	703	760
4701	4702	4722	4703	4760
22 x 3	22 x 1	22 x 4	7 x 20	6 x 22
\$300 \$1,950	\$300 \$1,950	\$300 \$1,950	\$300 \$1,950	\$300 \$1,950

EVEFLEX TECHNIK, 紅咖啡 (系列 700) / red brown (Series 700)

 顆粒 / Grit: 中 / medium
 包裝 / Pack: 10, 100 個 / piece
 轉速 / rec.: 7.000 - 12.000 min⁻¹
 最高轉速 / max: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

						
711	704	712	713	705	706	707
4711	4704	4712	4713	4705	4706	4707
3 x 7,5	4,3 x 12	5,5 x 13	5,5 x 16	5 x 16	5,5 x 18	7 x 15
\$600 \$4,300	\$600 \$4,300	\$600 \$4,300	\$600 \$4,300	\$600 \$4,300	\$600 \$4,300	\$600 \$4,300

EVEFLEX TECHNIK, 紅咖啡 (系列 700) / red brown (Series 700)

 顆粒 / Grit: 中 / medium
 包裝 / Pack: 10, 100 個 / piece
 轉速 / rec.: 7.000 - 12.000 min⁻¹
 最高轉速 / max: 20.000min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	10入 100入

				
715	708	709	710	720
4715	4708	4709	4710	4720
14,5 x 2	14,5 x 2,5	19 x 0,5	10 x 12	14 x 12
\$650 \$4,800	\$650 \$4,800	\$650 \$4,800	\$650 \$4,800	\$1,050 \$7,600

EVEFLEX TECHNIK, 綠 (系列 800) / green (Series 800)

 顆粒 / Grit:
 硬度 / Bond:

EVEFLEX TECHNIK, 綠 (系列 800)

適用於貴金屬與非貴金屬合金等復形材料的研磨工具。

EVEFLEX TECHNIK, green (Series 800)

Polishers for precious and non-precious alloys.

 細 / fine
 柔軟 / soft

適用 / Applications

- 用於高光澤磨光
- 用於復形材料包括貴金屬與非貴金屬等

- For high gloss polishing
- Precious and non-precious metals

特性 / Characteristics

- 非常柔軟、彈性合成橡膠黏合劑

- Very soft, flexible synthetic rubber binder

EVEFLEX TECHNIK, 綠 (系列 800) / green (Series 800)

 顆粒 / Grit: 細 / fine
 包裝 / Pack: 10, 100 個 / piece
 轉速 / rec.: 7.000 - 12.000 min⁻¹
 最高轉速 / max: 20.000 min⁻¹

				
801	802	822	803	860
4801	4802	4822	4803	4860
22 x 3	22 x 1	22 x 4	7 x 20	6 x 22
\$300	\$300	\$300	\$300	\$300
10入 \$1,950	10入 \$1,950	10入 \$1,950	10入 \$1,950	10入 \$1,950

EVEFLEX TECHNIK, 綠 (系列 800) / green (Series 800)

 顆粒 / Grit: 細 / fine
 包裝 / Pack: 10, 100 個 / piece
 轉速 / rec.: 7.000 - 12.000 min⁻¹
 最高轉速 / max: 20.000 min⁻¹

						
811	804	812	813	805	806	807
4811	4804	4812	4813	4805	4806	4807
3 x 7,5	4,3 x 12	5,5 x 13	5,5 x 16	5 x 16	5,5 x 18	7 x 15
\$600	\$600	\$600	\$600	\$600	\$600	\$600
10入 \$4,300	10入 \$4,300	10入 \$4,300	10入 \$4,300	10入 \$4,300	10入 \$4,300	10入 \$4,300

EVEFLEX TECHNIK, 綠 (系列 800) / green (Series 800)

 顆粒 / Grit: 細 / fine
 包裝 / Pack: 10, 100 個 / piece
 轉速 / rec.: 7.000 - 12.000 min⁻¹
 最高轉速 / max: 20.000 min⁻¹

				
815	808	809	810	820
4815	4808	4809	4810	4820
14,5 x 2	14,5 x 2,5	19 x 0,5	10 x 12	14 x 12
\$650	\$650	\$650	\$650	\$1,050
10入 \$4,800	10入 \$4,800	10入 \$4,800	10入 \$4,800	10入 \$7,600

EVE FLEXI-D



FLEXI-D Starter-Kits
頁數 / Page: 53

適用 / Applications

EVE FLEXI-D

最後階段的完成工具(研磨專用),可彈性使用於復形材料
為樹脂聚合物、瓷體與金屬之中。

- 藍 = 第一步驟: 切削與成型
- 紅 = 第二步驟: 平滑與預先拋磨光
- 黃 = 第三步驟: 磨光
- 白 = 第四步驟: 高光澤磨光

EVE FLEXI-D

Flexible finishing and polishing discs for composite, porcelain and metals.

- Blue = 1st step: Removing and contouring
- Red = 2nd step: Smoothing and pre-polishing
- Yellow = 3rd step: Polishing
- White = 4th step: High gloss

特性 / Characteristics

- 樹脂聚合物、瓷體與金屬等復形材料
- 修整與磨光
- 可雙向操作
- 一次性使用

- Composites, porcelain and metals
- Preparation and polishing disks
- Application in a pulling and pushing motion
- Disposable

- 單面氧化鋁塗層
- 優質顆粒材質(有四種層級可選擇)
- 富彈性、柔軟磨光
- 簡易且彈性操作

- Coated on one side with aluminum oxide
- Optimized grit level (four grit levels available)
- Flexible, soft polishing system
- Controllable and flexible handling

EVE FLEXI-D

包裝 / Pack: 100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max: 20.000 min⁻¹

產品名稱: / Item:
產品編號: / Item No.:
尺寸 (mm): / Sizes (mm):
顆粒 / Grit:
價格: / Price (NT\$):
100 入
100 入+95RA

				
FD-10g	FD-10m	FD-10f	FD-10sf	95RA
9121	9122	9123	9124	9595
10 x 0,21	10 x 0,17	10 x 0,14	10 x 0,11	
粗 / coarse	中 / medium	細 / fine	極細 / extra-fine	
—	—	—	—	3 入 \$500
\$1,450	\$1,450	\$1,450	\$1,450	10 入 \$1,450
\$1,600	\$1,600	\$1,600	\$1,600	100 入 \$13,800

包裝 / Pack: 100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max: 20.000 min⁻¹

產品名稱: / Item:
產品編號: / Item No.:
尺寸 (mm): / Sizes (mm):
顆粒 / Grit:
價格: / Price (NT\$):
100 入
100 入+95RA

				
FD-14g	FD-14m	FD-14f	FD-14sf	95RA
9141	9142	9143	9144	9595
14 x 0,21	14 x 0,17	14 x 0,14	14 x 0,11	
粗 / coarse	中 / medium	細 / fine	極細 / extra-fine	
—	—	—	—	3 入 \$500
\$1,450	\$1,450	\$1,450	\$1,450	10 入 \$1,450
\$1,600	\$1,600	\$1,600	\$1,600	100 入 \$13,800

包裝 / Pack: 100 個 / piece
轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max: 20.000 min⁻¹

產品名稱: / Item:
產品編號: / Item No.:
尺寸 (mm): / Sizes (mm):
顆粒 / Grit:
價格: / Price (NT\$):
100 入
100 入+95HP

				
FD-17g	FD-17m	FD-17f	FD-17sf	95HP
9161	9162	9163	9164	9565
17 x 0,21	17 x 0,17	17 x 0,14	17 x 0,11	
粗 / coarse	中 / medium	細 / fine	極細 / extra-fine	
—	—	—	—	3 入 \$500
\$1,450	\$1,450	\$1,450	\$1,450	10 入 \$1,450
\$1,600	\$1,600	\$1,600	\$1,600	100 入 \$13,800

EVE DIABRUSH · EVE BRUSH · EVE DIAMANT

因每個纖維都含有研磨鋼砂能如磨光器般操作。

Every fiber works like a polisher due to the abrasive impregnation.

適用 / Applications

特性 / Characteristics

EVE DIABRUSH (WTD1, WZD1, WSD1)

含鑽刷毛用於磨光瓷體、樹脂聚合物與金屬等復形材料。

EVE BRUSH (WT1, WZ1, WS1)

含矽碳化物刷毛用於瓷體、樹脂聚合物與金屬等復形材料。

- 用於所有陶瓷、樹脂聚合物等復形材料
- 無需額外的磨光盤
- EVE DIABRUSH = 在短時間內擁有光滑表面

- EVE BRUSH = 自然閃亮的表面
- 表面原始形態幾乎不變

- 含有研磨材料的刷毛
- 僅會產生低熱度, 不會融化
- 操作簡易
- 彈性適用於任何表面
- 刷毛可高壓消毒

EVE DIABRUSH (WTD1, WZD1, WSD1)

Diamond impregnated brushes for polishing porcelain, composites and metals.

EVE BRUSH (WT1, WZ1, WS1)

Silicon carbide impregnated brushes for polishing porcelain, composites and metals.

- For all available ceramics, composites
- Additional polishing paste is not required
- EVE DIABRUSH = Glossy surfaces after minimal processing time
- EVE BRUSH = naturally shiny surfaces
- Initial topography of the surface remains almost unchanged

- Brushes impregnated with abrasive material
- Low heat generation, no melting
- Easy handling
- Flexibly adapts to surfaces
- Brushes can be autoclaved

EVE DIABRUSH

硬度 / Hardness: 中 / medium
富含 / 鑽石 /
impregnation: diamond
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 5.000 - 7.000min⁻¹
最高轉速/max.: 10.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入



富含鑽石 / Impregnated with diamond

	WTD1	WZD1	WSD1
9481	9482	9483	
6 x 5,5	4 x 6,5	4 x 6,5	
\$450	\$450	\$450	
\$4,200	\$4,200	\$4,200	

EVE BRUSH

硬度 / Hardness: 硬 / hard
富含 / 矽碳化物 /
impregnation: silicone carbide
包裝 / Pack: 1, 10 個 / piece
轉速 / rec.: 5.000 - 7.000min⁻¹
最高轉速/max.: 10.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入 10入



富含矽碳化物磨料 / Impregnated with abrasive

	WT1	WZ1	WS1
9491	9492	9493	
6 x 5,5	4 x 6,5	4 x 6,5	
\$250	\$250	\$250	
\$1,950	\$1,950	\$1,950	

EVE DIAMANT

包裝 / Pack: 1 個 / piece (1 g)

與EVE UNIBRUSH搭配使用 /
For use with EVE UNIBRUSH
頁數 / Page: 20



EVE DIAMANT - 用於瓷體與合金的高光澤鑽石磨光盤。可與刷毛一併使用。

適用

- 與 EVE UNIBRUSH 搭配使用:
在短時間內達到鏡面磨光的效果

特性

- 比他牌更多的容量。

產品名稱: / Item: DP1
產品編號: / Item No.: 9701
顆粒: / Grit: 2-4 μ

價格: / Price (NT\$): \$600 / 1入


EVE DIAMANT - High-lustre diamond polishing paste for porcelain and alloys. To be applied with a brush.

Applications

- For use with EVE UNIBRUSH:
Mirror gloss after minimal processing time

Characteristics

- Filled higher than common products, embedded in a soft paste



Set RA 101 - EVE UNIVERSAL

頁數 / Page: 9

8- 個 / 8 pieces
W1, W2, W2B, W5,
W7, W8, W9, W11

Set RA 101 - EVE UNIVERSAL

矽膠磨光組，粗

用於瓷體、金屬與樹脂聚合物的通用的矽膠磨光組。

Set RA 101 - EVE UNIVERSAL
Silicone polishers, coarse

Universal silicone polishers for porcelain, metal and composite.

轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	RA 101
產品編號: / Item No.:	9070
價格: / Price (NT\$):	KIT \$500



Set RA 305 - EVE DIAPOL®

頁數 / Page: 11

9- 個 / 9 pieces
W16Dg, W17Dg, W18Dg,
W16Dmf, W17Dmf, W18Dmf,
W16D, W17D, W18D

Set RA 305 - EVE DIAPOL®

用於瓷體與金屬等復形材料的通用的鑽石磨光組。

Set RA 305 - EVE DIAPOL®

Universal diamond polishers for porcelain and metal.

轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	RA 305
產品編號: / Item No.:	9077
價格: / Price (NT\$):	KIT \$2,400



Set RA 160 - EVE ECOCERAM

頁數 / Page: 12

6- 個 / 6 pieces
W2BVK, W2BNK, W2BSK,
W7VK, W7NK, W7SK

Set RA 160 - EVE ECOCERAM

瓷體復形材料用的矽膠磨光組。

Set RA 160 - EVE ECOCERAM

Silicone polishers for porcelain.

轉速 / rec.: 7.000 - 15.000 min⁻¹
最高轉速/max.: 25.000 min⁻¹

產品名稱: / Item:	RA 160
產品編號: / Item No.:	9076
價格: / Price (NT\$):	KIT \$400



Set RA 322 - EVE DIASYNTH® PLUS / DIACERA

頁數 / Page: 6/13

8- 個 / 8 pieces
DYP-W13g, DYP-W9g,
W16DCmf, W17DCmf, W18DCmf,
W16DC, W17DC, W18DC

Set RA 322 - EVE DIASYNTH® PLUS / DIACERA

氧化鋯復形材料用的鑽石磨光組。

Set RA 322 - EVE DIASYNTH® PLUS / DIACERA

Diamond polishers for zirconia.

轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	RA 322
產品編號: / Item No.:	9078
價格: / Price (NT\$):	KIT \$2,800



Set RA 350 - EVE DIACOMP® ULTRA

頁數 / Page: 14

4- 個 / 4 pieces
DCU-W11, DCU1, DCU2, DCU3

Set RA 350 - EVE DIACOMP® ULTRA

僅一步驟完成所有樹脂聚合物復形材料的鑽石磨光組。

Set RA 350 - EVE DIACOMP® ULTRA

One-step diamond polishers for all composite materials.

轉速 / rec.: 3.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	RA 350
產品編號: / Item No.:	9074
價格: / Price (NT\$):	KIT \$1,150



Set RA 341 - EVE DIACOMP® PLUS

頁數 / Page: 15

8-個 / 8 pieces

DCP-W11m, DCP1m, DCP2m, DCP3m,
DCP-W11f, DCP1f, DCP2f, DCP3f

Set RA 341 - EVE DIACOMP® PLUS


用於所有樹脂聚合物復形材料的鑽石磨光組。

Set RA 341 - EVE DIACOMP® PLUS

Diamond polishers for all composite materials.

轉速 / rec.: 3.000 - 8.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	RA 341
產品編號: / Item No.:	9073
價格: / Price (NT\$):	KIT \$2,050



Set RA 210 - EVE ECOCOMP

頁數 / Page: 16

8-個 / 8 pieces

EC2Km, EC3Km, EC7m, EC18m,
EC2Kf, EC3Kf, EC7f, EC18f

Set RA 210 - EVE ECOCOMP

樹脂聚合物復形材料用的磨光組。

Set RA 210 - EVE ECOCOMP

Polishers for composite.

轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	RA 210
產品編號: / Item No.:	9071
價格: / Price (NT\$):	KIT \$600



Set RA 128 - EVE COMPOSOF

頁數 / Page: 17

8-個 / 8 pieces

CS11m, CS11f, CS2Bm, CS2Bf,
CS7m, CS7f, CS9m, CS9f

Set RA 128 - EVE COMPOSOF

樹脂聚合物復形材料用的柔軟矽膠磨光組。

Set RA 128 - EVE COMPOSOF

Soft silicone polisher for composite.

轉速 / rec.: 5.000 - 8.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	RA 128
產品編號: / Item No.:	9072
價格: / Price (NT\$):	KIT \$500



Set RA 209 - EVEFLEX

頁數 / Page: 18

9-個 / 9 pieces

AF2K, AF7, AF3K, BV2K, BV7, BV3K,
GH2K, GH7, GH3K

Set RA 209 - EVEFLEX

貴金屬合金、汞合金與樹脂聚合物等復形材料用的磨光組。

Set RA 209 - EVEFLEX

Polishing system for precious metal alloys, amalgam and composite.

轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	RA 209
產品編號: / Item No.:	9075
價格: / Price (NT\$):	KIT \$550



Set RA 420 - EVE PROPHY

頁數 / Page: 21

8-個 / 8 pieces

WTH, WTM, WTS,
PC-100, PC-100g, PRO3-hard,
PRO3-medium, PRO3-supersoft

Set RA 420 - EVE PROPHY


磨光、刷毛工具組。

Set RA 420 - EVE PROPHY

Prophylaxis polishers, brushes and tooth cleaners.

轉速 / rec.: 5.000 - 10.000 min⁻¹
最高轉速/max.: 10.000 min⁻¹

產品名稱: / Item:	RA 420
產品編號: / Item No.:	9083
價格: / Price (NT\$):	KIT \$850



Set RA 410 / 411 / 412 - EVE PROPHYCLEAN®

頁數 / Page: 22

10- 個 / 10 pieces

RA 410: 2 x PC-100, 2 x PC-101,
2 x PC-102, 2 x PC-103, 2 x PC-111

RA 411: PC-100, PC-100g, PC-101,
PC-101g, PC-102, PC-102g, PC-103,
PC-103g, PC-111, PC-111g

RA 412: 2 x PC-100g, 2 x PC-101g,
2 x PC-102g, 2 x PC-103g, 2 x PC-111g

Set RA 410 / 411 / 412 - EVE PROPHYCLEAN®

工具組

Set RA 410 / 411 / 412 - EVE PROPHYCLEAN®
Tooth cleaning instruments



轉速 / rec.: 5.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
價格: / Price (NT\$):	KIT

RA 410	RA 411	RA 412
9080	9081	9082
\$3,250	\$3,250	\$3,250

Set RA 430 - EVE BRACKET

頁數 / Page: 19

5- 個 / 5 pieces

BR11, BR7, BR3, BR6,
PC-100

轉速 / rec.: 5.000 - 7.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
價格: / Price (NT\$):	KIT

Set RA 430 - EVE BRACKET

牙套卸除研磨裝置組

能溫柔的研磨移除多餘復形材料器具而不會受到損壞。

Set RA 430 - EVE BRACKET

Bracket remover

Gentle removal of adhesive remnants from brackets without damaging the enamel.



RA 430
9079
\$600

Set HP 310 - EVE DIASYNTH PLUS / DIAPOL®

頁數 / Page: 6/30

8- 個 / 8 pieces

DYP-13g, DYP-8g,
H2Dg, H2Dmf, H2D,
H8Dg, H8Dmf, H8D

轉速 / rec.: 5.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹


產品名稱: / Item:	
產品編號: / Item No.:	
價格: / Price (NT\$):	KIT

Set HP 310 - EVE DIASYNTH PLUS / DIAPOL

瓷體與金屬等復形材料用的通用鑽石磨光組。

Set HP 310 - EVE DIASYNTH PLUS / DIAPOL

Universal diamond polishers for porcelain and metal.



HP 310
9040
\$3,000

Set HP 360 - EVE DIASYNTH PLUS / DIAPRO

頁數 / Page: 6/34

9- 個 / 9 pieces

DYP-14m, DYP-13m, DYP-8m,
SL20DPmf, H2DPmf, H8DPmf,
SL20DP, H2DP, H8DP

轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	
產品編號: / Item No.:	
價格: / Price (NT\$):	KIT

Set HP 360 - EVE DIASYNTH PLUS / DIAPRO

如長石、白榴石和矽酸鋁的矽酸鹽陶瓷等復形材料使用的鑽石磨光組。

Set HP 360 - EVE DIASYNTH PLUS / DIAPRO

Diamond polishing system for silicate ceramics like feldspar, leucite and lithium disilicate.



HP 360
9042
\$4,700

Set HP 321 - EVE DIASYNTH PLUS / DIACERA

頁數 / Page: 6/35


9- 個 / 9 pieces
DYP-14g, DYP-13g, DYP-8g,
SL20DCmf, H2DCmf, H8DCmf,
SL20DC, H2DC, H8DC

Set HP 321 - EVE DIASYNTH PLUS / DIACERA
氧化鋯復形材料用的鑽石磨光組。

Set HP 321 - EVE DIASYNTH PLUS / DIACERA
Diamond polishing system for zirconia.

轉速 / rec.: 7.000 - 12.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	HP 321
產品編號: / Item No.:	9041
價格: / Price (NT\$):	KIT \$4,700



Set HP 115 - EVE TECHNIK

頁數 / Page: 38

12- 個 / 12 pieces
H332K, H332Km, H332Kf,
H334K, H334Km, H334Kf,
H336K, H336Km, H336Kf,
H338, H338m, H338f

Set HP 115 - EVE TECHNIK
活動義齒、固定義齒與矯正樹脂與復形材料專用的矽
膠磨光組。

Set HP 115 - EVE TECHNIK
Silicone polishers for denture acrylic, prostheses and
orthodontic acrylic.

轉速 / rec.: 5.000 - 7.000 min⁻¹
最高轉速/max.: 15.000 min⁻¹

產品名稱: / Item:	HP 115
產品編號: / Item No.:	9044
價格: / Price (NT\$):	KIT \$1,050



Set HP 125 - EVE DENTURE SYSTEM

頁數 / Page: 8/38/39

7- 個 / 7 pieces
UT-H334K, H334K, H334Km,
H334Kf, SW-R22m, SW-R22f, 78HP

Set HP 125 - EVE DENTURE SYSTEM
活動樹脂復形材料專用磨光系列。

Set HP 125 - EVE DENTURE SYSTEM
Polishing system for denture acrylic.

轉速 / rec.: 5.000 - 7.000 min⁻¹
最高轉速/max.: 15.000 min⁻¹

產品名稱: / Item:	HP 125
產品編號: / Item No.:	9045
價格: / Price (NT\$):	KIT \$1,000



Set HP 219 - EVE CHROM PLUS

頁數 / Page: 40


16- 個 / 16 pieces
CRP-C6m, CRP-H4m,
2 x CRP-R22m, 3 x CRP-LS22m,
CRP-C6f, CRP-H4f,
2 x CRP-R22f, 3 x CRP-LS22f,
2 x 78HP

Set HP 219 - EVE CHROM PLUS
鉻合金、不鏽鋼與鈦等復形材料用磨光組

Set HP 219 - EVE CHROM PLUS
Polishing system for chrome-alloys, stainless steel and
titanium.

轉速 / rec.: 8.000 - 15.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	HP 219
產品編號: / Item No.:	9043
價格: / Price (NT\$):	KIT \$550



EVE FLEXI-D 10 / FLEXI-D 14 / FLEXI-D 17 STARTER

頁數 / Page: 48

100- 個 / 100 pieces

**EVE FLEXI-D 10 / FLEXI-D 14 / FLEXI D 17
STARTER KITS**

樹脂聚合物、金屬與瓷體等復形材料用的彈性磨光盤組。
內容物：每種顆粒各含25個

**EVE FLEXI-D 10 / FLEXI-D 14 / FLEXI D 17
STARTER KITS**

Flexible polishing discs for composite, metals and porcelain.
Contents: 25 pieces of each grit, incl. mandrel.

轉速 / rec.: 7.000 - 10.000 min⁻¹
最高轉速/max.: 20.000 min⁻¹

產品名稱: / Item:	FLEXI-D 10 STARTER KIT	FLEXI-D 14 STARTER KIT	FLEXI-D 17 STARTER KIT
產品編號: / Item No.:	9000	9001	9002
價格: / Price (NT\$):	KIT \$1,600	\$1,600	\$1,600



EVE Discovery組、壓克力玻璃底座、磁盤

鳴泰實業
CHINMINTAI
We create smiles
(02) 2995 - 9866



EVE DISCOVERY-Set RA

24 - 個 / 24 pieces

W1, W7, DCP1m, DCP1f, W16Dg, W16Dmf, W16D, PRO3-hard, PRO3-soft, PRO3-supersoft, BV2K, GH2K, CS-7m, CS-7f, DYP-W13g, W17DCmf, W17DC, PC-100, PC-101, PC-103, WTM, BR11, BR3, BR6

產品名稱: / Item:	
產品編號: / Item No.:	
價格: / Price (NT\$):	KIT

EVE DISCOVERY Set RA

廣泛用於牙醫的EVE產品。

本組同時包含鑽石與非鑽石磨光組，適用於瓷體、氧化鋯、樹脂聚合物、金屬等復形材料。

EVE DISCOVERY Set RA

A comprehensive range of EVE products for dentistry.

The set includes both diamond and non-diamond polishers for application on porcelain, zirconium oxide, composites, metals and for prophylactic treatment.



DISCOVERY SET RA
9090
\$4,450

EVE DISCOVERY-Set HP

18 - 個 / 18 pieces

R22, H1, DCU-H4, UT-H334, H334K, H334Km, SW-R22f, H8Dg, H8Dmf, H8D, DYP-8g, H8DCmf, H8DC, DYP-8m, H8DPMf, H8DP, CRP-R22m, CRP-R22f

產品名稱: / Item:	
產品編號: / Item No.:	
價格: / Price (NT\$):	KIT

EVE DISCOVERY Set HP

廣泛用於牙科技工室的EVE產品。

本組同時包含鑽石與非鑽石的磨光組，用於瓷體、氧化鋯、貼面樹脂聚合物、活動樹脂與金屬等復形材料。

EVE DISCOVERY Set HP

A comprehensive range of EVE products for the dental laboratory.

The set includes both diamond and non-diamond polishers for application on porcelain, zirconium oxide, veneer composites, acrylics and metals.



DISCOVERY SET HP
9091
\$5,800

EVE 壓克力玻璃底座 / EVE Acrylic Glass Holder

EVE 壓克力玻璃底座

在工作檯上可客製化使用的拋光工具底座，能輕鬆、穩合地展示EVE的產品。是印有EVE標誌的高品質壓克力底座。

EVE Acrylic Glass Holder

A personalized polishing set for your workstation or as an elegant, decorative display for EVE products.

High-quality acrylic stand with EVE logo.



產品名稱: / Item:	
產品編號: / Item No.:	
價格: / Price (NT\$):	1入

壓克力玻璃底座 / Acrylic glass holder
9020
\$1,300

EVE 磁盤 / EVE Magnetic Base

EVE 磁盤

由高品質塑膠製作的耐用磁盤。

寬度: 59 mm

高度: 57 mm

EVE magnetic base

Durable magnetic base made of high-quality plastic.

Diameter: 59 mm

Height: 57 mm



產品名稱: / Item:	
產品編號: / Item No.:	
價格: / Price (NT\$):	1入

磁盤(白) / Magnetic base white	磁盤(藍) / Magnetic base blue
9928	9929
\$1,000	\$1,000

EVE 樣本組 / EVE Sample Case

EVE 樣本組

完整的產品總覽-放置於輕巧的鋁製盒中，您能清楚的將所有產品一覽無遺！

此樣本組分為技師用、臨床用、以及混合版，也可依照您的需求訂製！

EVE Sample case

The complete range of products – everything at a glance in a high-quality, lightweight aluminum case.

The sample cases come with different sets of instruments (lab, medical, mix) and can also be tailored to your individual needs.



產品名稱 / Item:

產品編號 / Item No.:

樣本組 (臨床端.) /
Sample Case (Dent.)

9980

樣本組 (技師端.) /
Sample Case (Lab.)

9981

樣本組混合版 (技師端+臨床端.) /
Sample Case MIX (Lab. + Dent.)

9982


EVE 修整工具 / EVE Dressing Tools

EVE 修整工具

用於EVE研磨工具的清潔、塑型以及修補。

EVE Dressing Tools

For cleaning, profiling and dressing of EVE polishers.



包裝 / Pack: 1 個 / piece

產品名稱 / Item:

產品編號 / Item No.:

尺寸 (mm) / Sizes (mm):

顆粒 / Grit:

價格 / Price (NT\$):

1入

AS10

9501

20 x 33 x 4

金剛沙 / Corundum

\$150

AD50

9505

25 x 12 x 6

鑽石 / Diamond

\$2,150

EVE PLUS 攪拌碗 / Mixing Bowls

EVE PLUS

富彈性的攪拌碗，適用於攪拌石膏、包埋材料、褐藻膠與其他材料。

EVE PLUS

Flexible bowl for mixing plaster, investment materials, alginate and other materials.



產品名稱: / Item:	
產品編號: / Item No.:	
容量 (ml): / Capacity (ml):	
包裝: / Pack.:	
價格: / Price (NT\$):	1入

PLUS200	PLUS400	PLUS600
9600	9601	9602
200	400	600
1	1	1
\$200	\$250	\$250

EVE TOP 攪拌碗 / Mixing Bowls

EVE TOP

富彈性的矽膠攪拌碗，用於攪拌樹脂聚合物。

EVE TOP

Flexible silicone bowl for mixing acrylics.



產品名稱: / Item:	
產品編號: / Item No.:	
容量 (ml): / Capacity (ml):	
包裝: / Pack.:	
價格: / Price (NT\$):	

TOP5	TOP25	TOP75
9610	9611	9612
5	25	75
3	1	1
3入 \$350	1入 \$450	1入 \$500

EVE 攪拌碗 / Mixing Bowls

EVE MIX

透明矽膠攪拌碗，適用於混合樹脂聚合物。

EVE MIX

Transparent silicone bowl for mixing acrylics.



產品名稱: / Item:	
產品編號: / Item No.:	
容量 (ml): / Capacity (ml):	
包裝: / Pack.:	
價格: / Price (NT\$):	

MIX5	MIX25	MIX75
9620	9621	9622
5	25	75
3	1	1
3入 \$350	1入 \$450	1入 \$500

EVEFLON 攪拌板 / Mixing Slabs

EVEFLON

不易破損，富彈性且不易附著髒污的攪拌板。

EVEFLON

Unbreakable, elastic and self-cleaning mixing slabs and spatula made of Teflon.



包裝: / Pack.: 1 個 / piece

產品名稱: / Item:	
產品編號: / Item No.:	
尺寸 (mm): / Sizes (mm):	
價格: / Price (NT\$):	1入

A75	A150	A300	S170
9650	9651	9652	9655
75 x 75 x 3	150 x 75 x 3	200 x 112 x 3	170
\$400	\$650	\$1,150	\$450

EVE 軸心 / EVE Mandrels

EVE 軸心

為無附軸心的EVE研磨工具提供的不鏽鋼製軸心。

EVE Mandrels

Stainless steel precision mandrels for unmounted EVE polishers.

EVE 特製軸心

為 pin 狀的研磨工具，提供的不鏽鋼製軸心。

EVE Special Mandrels

Stainless steel precision mandrels for pin polishers.

EVE 軸心 / EVE Mandrels

包裝 / Pack: 3, 10, 100 個 / piece

產品名稱: / Item:	95RA	98RA	76RA
產品編號: / Item No.:	9595	9598	9576
螺絲頭-Ø (mm): / Screw head-Ø (mm):	5		
價格: / Price (NT\$):	\$500	\$300	\$200
3入	\$1,450	\$800	\$550
10入	\$13,800	\$7,250	\$4,550
100入			

EVE 軸心 / EVE Mandrels

包裝 / Pack: 3, 10, 100 個 / piece

產品名稱: / Item:	95HP	61HP	77HP	78HP	88HP
產品編號: / Item No.:	9565	9551	9552	9553	9555
螺絲頭-Ø (mm): / Screw head-Ø (mm):	-	5	5	5	8
價格: / Price (NT\$):	\$500	\$200	\$200	\$200	\$300
3入	\$1,450	\$550	\$550	\$550	\$800
10入	\$13,800	\$4,550	\$4,550	\$4,550	\$7,250
100入					

EVE 特製軸心 / EVE Special Mandrels

不鏽鋼製的特製軸心

Stainless steel precision mandrels
for pin polishers.

包裝 / Pack: 1, 10 個 / piece

軸徑: 2,35 mm / Shaft diameter: 2,35 mm

產品名稱: / Item:	110HP	120HP	130HP	140HP	150HP	20HP	30HP
產品編號: / Item No.:	9541	9542	9543	9544	9545	9547	9548
內層-Ø (mm) / Inner-Ø (mm):	1	2	3	4	5	2	3
價格: / Price (NT\$):	\$250	\$250	\$250	\$300	\$300	\$250	\$250
1入	\$2,200	\$2,200	\$2,200	\$2,700	\$2,700	\$2,200	\$2,200
10入							

消毒操作說明

程序代號: H

圖示:



注意:

若超過最高轉速限制，可能造成危險。
若水冷時間不足，可能對牙體及其周圍軟組織造成不可逆的傷害。

操作指示:

■ 標示:

可用的治療領域標示於標籤上。

■ 不可使用的領域: 就我們所知並無。

■ 副作用: 就我們所知並無。

■ 工作場所

請先清潔工作區域，以紙巾擦拭表面的灰塵。

■ 儲存與運送:

並沒有特殊要求，只需於使用後立即清潔消毒即可。

■ 清潔準備動作:

請參閱“殺菌與消毒”。不須拆解便可清潔。

■ 人工清潔:

所需器材: 清潔劑(NaOH溶液, 1莫耳, 使用一小時//次氯酸鈉溶液, 12%, 使用一小時 // Helipur H plus N 4 %, 使用1小時), 刷具、及沖洗用水。

程序:

1 沖洗工具以去除灰塵。(溫度低於 30° C)。

2 以刷具將清潔劑刷於工具表面。

注意! 清潔不同部位時應視情況選用合適的刷具。
尤其是清潔如插管或孔隙等不易清潔處時。

3 以流水沖洗工具三分鐘，並確保有沖洗到插管及孔隙。

■ 自動化清潔:

所需工具: 清洗機/消毒機及清潔劑。

1 將工具置於機器中。

2 將機器設定為標準循環並清洗至少5分鐘，然後沖洗3分鐘。

3 將工具取出，檢查插管及孔隙是否乾淨無灰塵。如有需要，可再施行手動清潔。

■ 殺菌:

請依據標籤上的說明使用消毒清潔劑(NaOH溶液, 1莫耳, 使用一小時//次氯酸鈉溶液, 12%, 使用一小時// Helipur H plus N 4 %, 使用1小時)。若使用自動化消毒，最後以 80°C 沖洗10分鐘。

■ 保存:

若工具已經鈍了或有損傷，應立即丟棄。

■ 工具檢查:

所有工具: 確認工具無損傷或耗損，邊緣及角均無缺口並且形狀正常。
細長的工具(尤其是旋轉工具)須確保無變形。若為須和其他工具一起使用的工具，則兩者皆須檢查。

■ 轉速說明:

請勿設定超出限制的轉速。不同產品的建議使用轉速及最高轉速限制可能不同，因此，請參照產品包裝及產品目錄說明。

若超過最高轉速限制，工具會開始震動。此震動可能導致工具或夾柄變形甚至損壞，造成使用者、病患及旁人受傷。

■ 工具的修復限制:

經常修復工具並沒有太大的效果，因為影響工具使用壽命最重要的因素取決於使用時受到的損傷及損耗。

■ 包裝:

單一工具: 可使用聚乙烯袋。應使用夠大的袋子，能完整容納工具而袋口密封處不至於拉扯變形。

工具組: 可使用合適的托盤來整理工具，或放置於多功能托盤。注意應保護邊角部位，且須注意托盤承重不得超過12 kg。

尺寸: (18 x 14 x 2 cm or 25 x 10 x 5 cm); 以AAMI標準的CSR雙層包裝程序包裝。

■ 消毒:

以134°C真空高壓殺菌20分鐘。殺菌溫度不得超過150°C。請勿使用chemiclave或熱空氣消毒。

■ 保存:

無特殊要求。

■ 補充資訊:

若同時有多個工具要使用高壓殺菌機，須確認不可超過殺菌機的最高承重。

■ 製造商已認證以上操作指示亦適用工具的再度消毒，所以工具能夠再度使用。

負責再次消毒的人員需使用RKI (Robert Koch Institute)建議的合適工具以確保消毒有效。

任何不符以上指示的操作都可能導致成果不佳，須再度檢視。

Sterilization Instructions

Procedure code: H



WARNINGS:

Exceeding maximum rotation speed allowed would increase risks to security.
Insufficient water cooling can irreversibly damage the tooth and its surrounding soft tissues.

INSTRUCTIONS:

■ Indications:

Therapeutic application field is indicated on the label.

■ Contra-indications: None to our knowledge.

■ Side effects: None to our knowledge.

■ Working place:

Remove all dirt on surfaces using a paper towel.

■ Storage and transportation:

No special requirements. We recommend reconditioning these polishers immediately after use.

■ Pre-cleaning steps:

See "Disinfection" and "sterilization". No dismantling needed.

■ Manual cleaning:

Material required: cleaning product (NaOH solution, 1 mole, 1 hour//hypochlorite solution, 12%, 1 hour// Helipur H plus N 4 %, 1 hour), brush and running water.

Procedure:

1. Remove all dirt from instrument by rinsing it (temp.: < 30° C).
2. Apply cleaning solution on all instrument surfaces with a brush.

NOTE: An adequate brush should be used for correct cleaning of places difficult to reach such as cannulation or blind holes.

3. Hold the instrument three minutes under running water and ensure that running water flows several times into and out of the cannulation and blind holes.

■ Automatic cleaning:

Material required : cleaning/disinfecting machine and cleaning product (BIB forte, for instance).

1. Place instruments in the machine.
2. Set the machine on standard cycle and clean for at least 5 minutes and rinse for at least 3 minutes.
3. After removing the instruments, check that cannulation and blind holes are free of dirt. If necessary, start a new cycle or clean manually.

■ Disinfection:

A disinfection solution can be used, according to instructions on label (NaOH solution, 1 mole, 1 hour// hypochlorite solution, 12 %, 1 hour// Helipur H plus N 4 < 4 %, 1 hour). In case of automatic cleaning, 10 minutes rinsing at 80°C can be performed as last step.

■ Maintenance:

Discard any blunt or damaged polisher.

■ Checking of the instruments:

For all instruments: ensure that the instrument is neither damaged nor worn. Its' edges and corners must have no notches and be regular in shape. Long and narrow instruments (especially the rotary ones) must be checked for deformations. If the instrument is a component of another instrument, both components should be checked.

■ Instructions regarding rotation speed:

Never exceed the maximum rotation speed stated. The recommended and maximum speeds allowed can vary between products. For that reason, please refer to the rotation speeds indicated on the packaging and in our product catalog. Exceeding maximum rotation speed allowed, will tend to vibrate the polisher. Such vibrations can deform the polisher or its shaft and cause them to break. In the latter case, could occur to the user, the patient and other individuals.

■ Restrictions regarding instrument reconditioning:

Frequent reconditioning of these instruments will have little impact on them since their life expectancy first and foremost depends on wear and possible damages to them during use.

■ Packaging:

Single instrument: polyethylene bags may be used. These bags should be big enough to accommodate the instrument without putting the sealing system of the bag under tension. Instrument sets: sort out the instruments using appropriate trays, or place them on an all-purpose tray. Corners and edges must be protected, and the weight per tray should not exceed 12 kg. Insert size: (18 x 14 x 2 cm or 25 x 10 x 5 cm); wrap using the CSR-double-wrapping procedure according to AAMI standards.

■ Sterilization:

Vacuum autoclaving at 134°C for 20 minutes. Temperature must not exceed 150°C. Do not use a chemiclave or a hot air disinfectant.

■ Storage:

No special requirements.

■ Additional information:

If several instruments are to be sterilized in the autoclave, ensure that the maximum weight allowed by the autoclave manufacturer is not exceeded.

■ The manufacturer has validated the fact that the above specified instructions ARE SUITED FOR reconditioning these polishers so that they can be re-used. The individuals who are responsible for reconditioning must ensure proper reconditioning by using the appropriate equipment and products, as recommended by the RKI (Robert Koch Institute). Any deviation from the given instructions would have to be thoroughly examined as to its impact and possible negative effects.

EVE拋光工具操作指示

所有的 EVE 拋光工具都是依據您的需求量身打造，若使用方法不正確，可能導致組織受損、使用壽命減短、或工具損壞，甚至可能造成使用者或病患受傷。

使用方法

- EVE 拋光工具須配合有正確消毒及維護的渦輪、牙科手機及 contra-angles 使用。配合使用的渦輪及 contra-angles 必須隨時確認準確度並定期消毒。
- 將工具的夾柄插入驅動裝置，越深越好。
- 在工具接觸到拋光表面前，需先達到需要的轉速。
- 為避免變形，建議以圓周運動的方式使用工具。
- 請勿彎曲工具或使用它來撬動物品以免工具斷裂。
- 若工具變形，或轉動時已非同心圓，則應丟棄不可再使用。
- 未裝配的拋光工具在裝配夾柄後必須要位於正中心，且須使用高品質的軸心，以免在使用時產生震動。使用品質較差的軸心可能造成損壞。
- 使用時務必配戴護目鏡。若使用不當或器材出現問題時，夾柄、軸心、或手機可能會斷裂飛出造成危險，因此須配戴護目鏡，或隔著防護玻璃操作。
- 配戴呼吸器面罩能隔絕研磨產生的粉塵。建議您搭配使用粉塵抽吸系統。

若不當使用工具，會導致效果不佳且可能造成危險。因此，必須由專業人員操作。

轉速說明

- 請勿設定超出限制的轉速。不同產品的建議使用轉速及最高轉速限制可能不同，因此，請參照產品包裝及產品目錄說明。
- 若超過最高轉速限制，工具會開始震動。此震動可能導致工具或夾柄變形甚至損壞，造成使用者、病患及旁人受傷。
- 遵守轉速限制使用，才能得到最佳成果。

不遵守轉速限制使用可能造成危險。

工具受壓

- 若對工具施加過大的壓力可能導致損壞。
- 過大的壓力可能造成發熱。
- 過度施壓可能造成工具使用壽命縮短。

請務必避免對工具過度施壓，以免造成工具過熱，造成材料損壞。

此外，若施壓過大，工具可能毀壞，造成人員受傷。

水冷程序

- 為避免牙體過熱，必須充分以水冷卻。(50 ml/min)。

若冷卻不足，可能導致牙體及其周圍組織不可逆的損壞。

儲藏、清潔、殺菌與消毒

- EVE 工具應存放於原本的包裝中，置於室溫，不易接觸灰塵、潮溼及汙染處。並於外包裝明確標示物品名稱。
- 若要將工具自原包裝中取出，置於其他容器，則須先詳閱使用說明，包括操作、轉速限制、LOT 號碼以及安全措施如護目鏡及呼吸面罩。接著，將工具放置於乾淨衛生處。
- 將工具使用於病人身上前，務必做好殺菌及消毒。
- 使用後，立即清潔及消毒。
- 清潔受汙染的工具時，務必穿著防護衣及手套。
- 請務必使用適當的消毒工具並遵從使用說明，尤其須注意使用方法及時間。請注意，若使用有腐蝕性的清潔劑，使用時間過長或是劑量不正確都有可能造成工具損壞。

消毒：以 134°C 真空高壓殺菌 20 分鐘(或依照 RKI 建議操作)。殺菌溫度不得超過 150°C。請勿使用 chemiclave 或熱空氣消毒。

在施行消毒及殺菌程序前，請務必確認使用的清潔劑適合該工具。

Directions & safety rules

Recommendations for use of EVE polishers

All EVE polishers are exactly tailored to your specific needs. Improper use can lead to tissue damage, early wear or destruction of the polisher, not to mention the risks to the user, the patient or other persons.

Proper use

- These instruments must only be used with turbines, handpieces and contra-angles that are technically and hygienically perfect, meaning that they should be well maintained and correctly cleaned. The turbines and contra-angles used for these instruments must ensure precise and regular rotation.
- Insert the instrument shaft into the driving unit as far as possible.
- Before applying the instrument on the surface to be treated, bring it to the rotation speed needed.
- In order to avoid deformations, use circular movements with the instrument.
- Do not bend the instrument or use it as a lever because this would lead to increased risk of breaking the instrument.
- Immediately discard any deformed, non-concentric rotating instruments.
- Unmounted polishers must be centered after shaft mounting in order to avoid vibrations during use and only high quality mandrels should be used. Using mandrels of inferior quality could break them and cause injuries.
- Protective glasses should be worn at all times. In case of improper use or material failure, the mandrel, shaft or workpiece can break and could become a dangerous flying object. Instead of wearing protective goggles, you can work behind a protective glass pane.
- Wearing a respiratory mask will prohibit inhaling dust from polishers or workpieces. We recommend a dust aspiration system.

Improper use of these instruments leads to bad quality results and more risks. This is why they must be used only by qualified persons.

Instructions regarding rotating speed

- Never exceed the maximum rotation speed stated. The recommended and maximum rotation speeds allowed can vary between products. For that reason, please refer to the rotation speeds indicated on the packaging and in our product catalogue.
- In case of non-observance of the maximum rotation speed allowed, the polisher will tend to vibrate. Such vibrations can deform the polisher or its shaft and cause them to break. In the latter case, the user, the patient and other persons can be injured.
- Observing rotation speeds ensures optimum results.

Non observance of the maximum rotation speed allowed increases safety risks.

Pressure on the polisher

- Excessive pressure on the polisher can destroy it.
- Excessive pressure results in more heat produced.
- Excessive pressure can cause early wear of the polisher.

Always avoid excessive pressure on the instrument because this will cause overheating, which could damage the pulp. Additionally, in case of very excessive pressure, the instrument can break and, as a result, persons can be injured.

Water cooling

- In order to avoid the overheating of a tooth, sufficient watercooling must be ensured (50 ml/min).

Insufficient water cooling can lead to irreversible damages to the tooth and its surrounding tissues.

Storage, Cleaning, Disinfection and Sterilization

- EVE instruments should be stored in their original packaging, at room temperature, in a place protected against dust, moisture and recontamination. Label on the packaging ensures proper identification of the product.
- Before taking the polishers out of their packaging and putting them into other containers, please read information regarding use, rotation speed, LOT-number and safety aspects like protective goggles or respiratory mask. Then, put the instruments in hygienically well maintained stands or in other appropriate containers.
- These instruments must be disinfected and sterilized before they are used on the patient.
- After use, disinfect the instruments immediately. The next steps are cleaning, disinfection and sterilization.
- Always wear protective clothes and gloves while reconditioning contaminated instruments.
- An appropriate disinfection product must be used, and Directions for Use should be followed according to the technique to be used, as well as working time and indications of this product. Please note that using aggressive products to clean, over-working the product or improper dosage of the product can destroy these polishers.
- Sterilization: vacuum autoclaving at 134°C for 20 minutes (or according to RKI recommendations). Temperature must not exceed 150°C. Do not use a chemiclave or a hot airdisinfectant.

Before implementing the disinfecting and sterilizing technique, make absolutely sure it is the appropriate one for the specific instruments to be used.

ISO / 醫療用具分類

產品名稱	產品編號	醫療用品等級	ISO	頁數
Item	Item No.	Medical Device Class	ISO	Page
41	4341	-	653 000 114 525 010	42
42	4342	-	653 000 114 525 020	42
43	4343	-	653 000 114 525 030	42
44	4344	-	653 000 114 525 040	42
45	4345	-	653 000 114 525 050	42
51	4351	-	653 000 114 534 010	42
52	4352	-	653 000 114 534 020	42
53	4353	-	653 000 114 534 030	42
54	4354	-	653 000 114 534 040	42
55	4355	-	653 000 114 534 050	42
61	4361	-	653 000 114 523 010	42
62	4362	-	653 000 114 523 020	42
63	4363	-	653 000 114 523 030	42
64	4364	-	653 000 114 523 040	42
65	4365	-	653 000 114 523 050	42
71	4371	-	653 000 114 513 010	42
72	4372	-	653 000 114 513 020	42
73	4373	-	653 000 114 513 030	42
74	4374	-	653 000 114 513 040	42
75	4375	-	653 000 114 513 050	42
81	4381	-	653 000 114 503 010	42
82	4382	-	653 000 114 503 020	42
83	4383	-	653 000 114 503 030	42
84	4384	-	653 000 114 503 040	42
85	4385	-	653 000 114 503 050	42
401	4401	-	653 900 372 524 220	43
403	4403	-	653 900 114 524 070	43
406	4406	-	653 104 243 524 055	43
411	4411	-	653 104 297 524 030	43
422	4422	-	653 900 303 524 220	43
425	4425	-	653 900 371 524 260	43
501	4501	-	653 900 372 534 220	44
502	4502	-	653 900 371 534 220	44
503	4503	-	653 900 114 534 070	44
504	4504	-	653 104 243 534 043	44
505	4505	-	653 104 292 534 050	44
506	4506	-	653 104 243 534 055	44
507	4507	-	653 104 292 534 070	44
508	4508	-	653 104 303 534 145	44
510	4510	-	653 104 113 534 100	44
511	4511	-	653 104 297 534 030	44
512	4512	-	653 104 243 534 055	44
513	4513	-	653 104 243 534 055	44
515	4515	-	653 104 042 534 145	44
520	4520	-	653 104 113 534 140	44
522	4522	-	653 900 303 534 220	44
560	4560	-	653 900 114 534 060	44
601	4601	-	653 900 372 524 220	45
602	4602	-	653 900 371 524 220	45
603	4603	-	653 900 114 524 070	45
604	4604	-	653 104 243 524 043	45
605	4605	-	653 104 292 524 050	45
606	4606	-	653 104 243 524 055	45
607	4607	-	653 104 292 524 070	45
608	4608	-	653 104 303 524 145	45
609	4609	-	653 104 371 524 190	45
610	4610	-	653 104 113 524 100	45
611	4611	-	653 104 297 524 030	45
612	4612	-	653 104 243 524 055	45
613	4613	-	653 104 243 524 055	45
615	4615	-	653 104 042 524 145	45
620	4620	-	653 104 113 524 140	45
622	4622	-	653 900 303 524 220	45
660	4660	-	653 900 114 524 060	45

產品名稱	產品編號	醫療用品等級	ISO	頁數
Item	Item No.	Medical Device Class	ISO	Page
701	4701	-	653 900 372 513 220	46
702	4702	-	653 900 371 513 220	46
703	4703	-	653 900 114 513 070	46
704	4704	-	653 104 243 513 043	46
705	4705	-	653 104 292 513 050	46
706	4706	-	653 104 243 513 055	46
707	4707	-	653 104 292 513 070	46
708	4708	-	653 104 303 513 145	46
709	4709	-	653 104 371 513 190	46
710	4710	-	653 104 113 513 100	46
711	4711	-	653 104 297 513 030	46
712	4712	-	653 104 243 513 055	46
713	4713	-	653 104 243 513 055	46
715	4715	-	653 104 042 513 145	46
720	4720	-	653 104 113 513 140	46
722	4722	-	653 900 303 513 220	46
760	4760	-	653 900 114 513 060	46
801	4801	-	653 900 372 504 220	47
802	4802	-	653 900 371 504 220	47
803	4803	-	653 900 114 504 070	47
804	4804	-	653 104 243 504 043	47
805	4805	-	653 104 282 504 050	47
806	4806	-	653 104 243 504 055	47
807	4807	-	653 104 292 504 070	47
808	4808	-	653 104 303 504 145	47
809	4809	-	653 104 371 504 190	47
810	4810	-	653 104 113 504 100	47
811	4811	-	653 104 297 504 030	47
812	4812	-	653 104 243 504 055	47
813	4813	-	653 104 243 504 055	47
815	4815	-	653 104 042 504 145	47
820	4820	-	653 104 113 504 140	47
822	4822	-	653 900 303 504 220	47
860	4860	-	653 900 114 504 060	47
110HP	9541	-	-	57
120HP	9542	-	-	57
130HP	9543	-	-	57
140HP	9544	-	-	57
150HP	9545	-	-	57
20HP	9547	-	-	57
30HP	9548	-	-	57
61HP	9551	-	-	57
76RA	9576	IIa	-	57
77HP	9552	-	-	57
78HP	9553	-	-	57
88HP	9555	-	-	57
95HP	9565	-	-	57
95RA	9595	IIa	-	57
98RA	9598	IIa	-	57
A150	9651	-	-	56
A2	4692	IIa	653 314 243 533 030	18
A3	4693	IIa	653 314 030 533 060	8
A300	9652	-	-	56
A75	9650	-	-	56
Acrylglasständer / Acrylic Glass Holder				54
9020	-	-	-	54
AD50	9505	-	-	55
AF1	4671	-	653 204 243 533 040	18
AF11	4681	IIa	653 204 297 533 030	18
AF2K	4672	IIa	653 204 297 533 030	18
AF3K	4673	IIa	653 204 030 533 065	18
AF5W	4675	IIa	653 204 030 533 090	18
AF6	4676	IIa	653 204 307 533 100	18
AF7	4677	IIa	653 204 243 533 050	18

ISO / 醫療用具分類

產品名稱	產品編號	醫療用品等級	ISO	頁數
Item	Item No.	Medical Device Class	ISO	Page
AS10	9501	-	-	55
B2	4792	Ila	653 314 243 513 030	18
B3	4793	Ila	653 314 030 513 060	18
BR11	5381	Ila	633 204 297 544 030	19
BR3	5373	Ila	633 204 030 544 060	19
BR6	5376	Ila	633 204 307 544 100	19
BR7	5377	Ila	633 204 243 544 050	19
BV1	4771	Ila	653 204 243 513 040	18
BV11	4781	Ila	653 204 297 513 030	18
BV13	4783	Ila	653 204 243 513 055	18
BV2K	4772	Ila	653 204 297 513 030	18
BV3K	4773	Ila	653 204 030 513 065	18
BV4	4774	Ila	653 204 292 513 050	18
BV5W	4775	Ila	653 204 030 513 090	18
BV6	4776	Ila	653 204 307 513 100	18
BV7	4777	Ila	653 204 243 513 050	18
C12	1022	-	658 900 114 533 120	24
C2D	7232	-	803 000 114 514 020	31
C2Dg	7032	-	803 000 114 534 020	30
C2Dmf	7132	-	803 000 114 524 020	34
C235D	7237	-	803 000 133 514 023	32
C235Dg	7037	-	803 000 133 534 023	32
C235Dmf	7137	-	803 000 133 524 023	32
C7	1017	-	658 900 114 533 070	24
C7BL	1417	-	658 900 114 523 070	29
C7f	1217	-	658 900 114 512 070	27
C7m	1117	-	658 900 114 523 070	26
C7NK	1117	-	658 900 114 514 070	33
C7sf	1317	-	658 900 114 502 070	28
C7SK	1717	-	658 900 114 504 070	33
C7VK	1517	-	658 900 114 524 070	33
C9	1019	-	658 900 114 533 090	24
C9BL	1419	-	658 900 114 523 090	29
C9f	1219	-	658 900 114 512 090	27
C9m	1119	-	658 900 114 523 090	26
C9sf	1319	-	658 900 114 502 090	28
CRP-C6f	4117	-	653 900 114 513 070	40
CRP-C6m	4017	-	653 900 114 524 070	40
CRP-H15f	4155	-	653 104 372 513 150	40
CRP-H15m	4055	-	653 104 372 524 150	40
CRP-H4f	4144	-	653 104 292 513 050	40
CRP-H4m	4044	-	653 104 292 524 050	40
CRP-LS22f	4101	-	653 900 303 513 220	40
CRP-LS22m	4001	-	653 900 303 524 220	40
CRP-R22/1f	4102	-	653 900 371 513 220	40
CRP-R22/1m	4002	-	653 900 371 524 220	40
CRP-R22f	4100	-	653 900 372 513 220	40
CRP-R22m	4000	-	653 900 372 524 220	40
CS11f	2781	Ila	658 204 297 512 030	17
CS11g	2581	Ila	658 204 297 532 030	17
CS11m	2681	Ila	658 204 297 522 030	17
CS2Bf	2792	Ila	658 204 243 512 050	17
CS2Bg	2592	Ila	658 204 243 532 050	17
CS2Bm	2692	Ila	658 204 243 522 050	17
CS7f	2777	Ila	658 204 030 512 070	17
CS7g	2577	Ila	658 204 030 532 070	17
CS7m	2677	Ila	658 204 030 522 070	17
CS9f	2779	Ila	658 204 304 512 110	17
CS9g	2579	Ila	658 204 304 532 110	17
CS9m	2679	Ila	658 204 304 522 110	17
DCP1f	6271	Ila	803 204 243 503 040	15
DCP1m	6171	Ila	803 204 243 523 040	15
DCP2f	6272	Ila	803 204 304 503 100	15
DCP2m	6172	Ila	803 204 304 523 100	15

產品名稱	產品編號	醫療用品等級	ISO	頁數
Item	Item No.	Medical Device Class	ISO	Page
DCP3f	6273	Ila	803 204 030 503 060	15
DCP3m	6173	Ila	803 204 030 523 060	15
DCP-FG1f	6291	Ila	803 314 243 503 030	15
DCP-FG1m	6191	Ila	803 314 243 523 030	15
DCP-W11f	6281	Ila	803 204 297 503 030	15
DCP-W11m	6181	Ila	803 204 297 523 030	15
DCP-W2Bf	6292	Ila	803 204 243 503 050	15
DCP-W2Bm	6192	Ila	803 204 243 523 050	15
DCU1	6071	Ila	803 204 243 523 040	14
DCU2	6072	Ila	803 204 304 523 100	14
DCU3	6073	Ila	803 204 030 523 060	14
DCU-FG1	6091	Ila	803 314 243 523 030	14
DCU-H15	6055	-	803 104 372 523 145	34
DCU-H16	6056	-	803 104 304 523 145	37
DCU-H4	6044	-	803 104 292 523 050	37
DCU-W11	6081	Ila	803 204 297 523 030	14
DD-13	8353	-	865 104 173 525 040	7
DD-14	8354	-	865 104 107 525 050	7
DD-14B	8364	-	865 104 107 525 065	7
DD-22/2	8302	-	865 900 371 525 220	7
DD-22/4	8300	-	865 900 372 525 220	7
DD-8	8348	-	865 104 372 525 120	7
DD-9	8349	-	865 104 014 525 120	7
PDL2,5 KIT	9012	-	-	23
PDL4 KIT	9014	-	-	23
DP1	9701	-	-	49
DYP-13g	8053	-	805 104 173 534 040	6
DYP-13m	8153	-	805 104 173 524 040	6
DYP-14Bg	8064	-	805 104 107 534 065	6
DYP-14Bm	8164	-	805 104 107 524 065	6
DYP-14g	8054	-	805 104 107 534 050	6
DYP-14m	8154	-	805 104 107 524 050	6
DYP-15g	8055	-	805 104 042 534 150	6
DYP-15m	8155	-	805 104 042 524 150	6
DYP-22/1g	8002	-	805 900 371 534 220	6
DYP-22/1m	8102	-	805 900 371 534 220	6
DYP-22g	8000	-	805 900 372 534 220	6
DYP-22m	8100	-	805 900 372 534 220	6
DYP-8g	8048	-	805 104 372 534 120	6
DYP-8m	8148	-	805 104 372 524 120	6
DYP-9g	8049	-	805 104 014 534 115	6
DYP-9m	8149	-	805 104 014 524 115	6
DYP-W13g	8083	Ila	805 204 173 534 040	6
DYP-W13m	8183	Ila	805 204 173 524 040	6
DYP-W9g	8079	Ila	805 204 014 534 115	6
DYP-W9m	8179	Ila	805 204 014 524 115	6
EC11f	5281	Ila	653 204 297 514 030	16
EC11m	5181	Ila	653 204 297 524 030	16
EC18f	5288	Ila	653 204 304 514 100	16
EC18m	5188	Ila	653 204 307 524 100	16
EC2Kf	5272	Ila	653 204 297 514 030	16
EC2Km	5172	Ila	653 204 297 524 030	16
EC3Kf	5273	Ila	653 204 030 514 065	16
EC3Km	5173	Ila	653 204 030 524 065	16
EC5Wf	5275	Ila	653 204 030 514 095	16
EC5Wm	5175	Ila	653 204 030 524 095	16
EC6f	5276	Ila	653 204 307 514 100	16
EC6m	5176	Ila	653 204 307 524 100	16
EC7f	5277	Ila	653 204 243 514 050	16
EC7m	5177	Ila	653 204 243 524 050	16
ECR-C6	4217	-	653 900 114 534 060	41
ECR-L22	4201	-	653 900 303 534 220	41
ECR-R22	4200	-	653 900 372 534 220	41
FD-10f	9123	-	-	41

ISO / 醫療用具分類

產品名稱	產品編號	醫療用品等級	ISO	頁數
Item	Item No.	Medical Device Class	ISO	Page
FD-10g	9121	-	-	41
FD-10m	9122	-	-	41
FD-10sf	9124	-	-	41
FD-14f	9143	-	-	41
FD-14g	9141	-	-	41
FD-14m	9142	-	-	41
FD-14sf	9144	-	-	41
FD-17f	9163	-	-	41
FD-17g	9161	-	-	41
FD-17m	9162	-	-	41
FD-17sf	9164	-	-	41
FD-10 KIT	9000	-	-	53
FD-14 KIT	9001	-	-	53
FD-17 KIT	9002	-	-	53
FG1D	7291	IIa	803 314 243 514 030	11
FG1DC	7291	IIa	803 314 243 514 030	13
FG1DCmf	7691	IIa	803 314 243 524 030	13
FG1Dg	7091	IIa	803 314 243 534 030	11
FG1Dmf	7191	IIa	803 314 243 524 030	11
G2	4892	IIa	653 314 243 503 030	18
G3	4893	IIa	653 314 030 503 060	18
GH1	4871	IIa	653 204 243 503 040	18
GH11	4881	IIa	653 204 297 503 030	18
GH13	4883	IIa	653 204 243 503 055	18
GH2k	4872	IIa	653 204 297 503 030	18
GH3k	4873	IIa	653 204 030 503 065	18
GH4	4874	IIa	653 204 292 503 050	18
GH5W	4875	IIa	653 204 030 503 090	18
GH6	4876	IIa	653 204 307 503 100	18
GH7	4877	IIa	653 204 243 503 050	18
H1	1041	-	658 104 243 523 055	25
H11D	7251	-	803 104 297 514 030	31
H11Dg	7051	-	803 104 297 534 030	30
H11Dmf	7151	-	803 104 297 524 030	31
H15BL	1455	-	653 104 372 523 150	29
H15D	7255	-	803 104 372 514 145	31
H15Dg	7055	-	803 104 372 534 145	30
H15Dmf	7155	-	803 104 372 524 145	31
H15f	7155	-	658 104 372 512 150	27
H15g	1055	-	658 104 372 533 150	24
H15m	1155	-	658 104 372 523 150	26
H15NK	1655	-	658 104 372 514 150	33
H15sf	1355	-	658 104 372 502 150	28
H15SK	1755	-	658 104 372 504 150	33
H15VK	1555	-	658 104 372 524 150	33
H16D	7256	-	803 104 304 514 145	31
H16Dg	7056	-	803 104 304 534 145	30
H16Dmf	7156	-	803 104 304 524 145	31
H16f	1256	-	658 104 304 512 150	27
H16g	1056	-	658 104 304 533 150	24
H16m	1156	-	658 104 304 523 150	26
H16sf	1356	-	658 104 304 502 150	28
H1BL	1441	-	653 104 243 523 055	29
H1f	1241	-	658 104 243 512 055	27
H1m	1141	-	658 104 243 523 055	26
H1sf	1341	-	658 104 243 502 055	28
H2	1042	-	658 104 243 523 045	25
H20BL	1460	-	653 104 113 523 140	29
H20f	1260	-	658 104 113 512 140	27
H20g	1060	-	658 104 113 533 140	24
H20m	1160	-	658 104 113 523 140	26
H20sf	1360	-	658 104 113 502 140	28
H2Bg	1062	-	658 104 243 533 050	24
H2D	7242	-	803 104 243 514 040	31

產品名稱	產品編號	醫療用品等級	ISO	頁數
Item	Item No.	Medical Device Class	ISO	Page
H2DC	7742	-	803 104 243 514 040	35
H2DCmf	7642	-	803 104 243 524 040	35
H2Dg	7042	-	803 104 243 534 040	30
H2Dmf	7142	-	803 104 243 524 040	31
H2DP	7942	-	803 104 243 512 040	34
H2DPmf	7842	-	803 104 243 522 040	34
H2f	1242	-	658 104 243 512 045	27
H2m	1142	-	658 104 243 523 045	26
H2sf	1342	-	658 104 243 512 140	28
H22D	7262	-	803 104 371 514 220	31
H22Dg	7062	-	803 104 371 534 220	30
H22Dmf	7162	-	803 104 371 524 220	31
H3	1043	-	658 104 114 523 060	25
H330K	2030	-	658 104 257 533 120	38
H330Kf	2230	-	658 104 257 513 120	38
H330Km	2130	-	658 104 257 523 120	38
H332A	2332	-	638 104 300 533 100	39
H332Am	2432	-	638 104 300 523 100	38
H332K	2032	-	658 104 300 533 100	38
H332Kf	2232	-	658 104 300 513 100	38
H332Km	2132	-	658 104 300 523 100	38
H334A	2334	-	638 104 275 533 100	39
H334Am	2434	-	638 104 275 523 100	39
H334K	2034	-	658 104 275 533 100	38
H334Kf	2234	-	658 104 275 513 100	38
H334Kf-WG	2934	-	658 104 275 513 100	36
H334Km	2134	-	658 104 275 523 100	38
H334Km-WG	2834	-	658 104 275 523 100	36
H336A	2336	-	638 104 201 533 150	39
H336Am	2436	-	638 104 201 523 150	39
H336K	2036	-	658 104 201 533 150	38
H336Kf	2236	-	658 104 201 513 150	38
H336Km	2136	-	658 104 201 523 150	38
H338	2038	-	658 104 243 533 055	38
H338A	2338	-	638 104 243 533 055	39
H338Am	2438	-	638 104 243 523 055	39
H338f	2238	-	658 104 243 513 055	38
H338m	2138	-	658 104 243 523 055	38
H340	2040	-	658 104 274 533 065	38
H340f	2240	-	658 104 274 513 065	38
H340m	2140	-	658 104 273 523 065	38
H3f	1243	-	658 104 112 512 060	27
H3m	1143	-	658 104 112 523 060	26
H3sf	1343	-	658 104 112 502 060	28
H4	1044	-	658 104 292 523 050	25
H4BL	1444	-	653 104 292 523 050	29
H4D	7244	-	803 104 292 514 050	31
H4Dg	7044	-	803 104 292 534 050	30
H4Dmf	7144	-	803 104 292 524 050	31
H4f	1244	-	658 104 292 512 050	27
H4m	1144	-	658 104 292 523 050	26
H4NK	1644	-	658 104 292 514 050	33
H4sf	1344	-	658 104 292 502 050	28
H4SK	1744	-	658 104 292 504 050	33
H4VK	1544	-	658 104 292 524 050	33
H5	1045	-	658 104 030 523 090	25
H6	1046	-	658 104 021 523 080	25
H7	1047	-	658 104 030 523 070	25
H8	1048	-	658 104 372 523 110	25
H8D	7248	-	803 104 372 514 110	31
H8DC	7748	-	803 104 372 514 110	35
H8DCmf	7648	-	803 104 372 524 110	35
H8Dg	7048	-	803 104 372 534 110	30
H8Dmf	7148	-	803 104 372 524 110	31

ISO / 醫療用具分類


產品名稱	產品編號	醫療用品等級	ISO	頁數
Item	Item No.	Medical Device Class	ISO	Page
H8DP	7948	-	803 104 372 512 110	34
H8DPmf	7848	-	803 104 372 522 110	34
H8f	1248	-	658 104 372 512 110	27
H8m	1148	-	658 104 372 523 110	26
H8sf	1348	-	658 104 372 502 110	28
H9	1049	-	658 104 304 523 110	25
H9f	1249	-	658 104 304 512 110	
H9m	1149	-	658 104 304 523 110	26
H9sf	1349	-	658 104 304 502 110	28
HP 115	9044	-	-	53
HP 125	9045	-	-	53
HP 219	9043	-	-	53
HP 310	9040	-	-	52
HP 321	9041	-	-	53
HP 360	9042	-	-	52
I22	1002	-	658 900 371 533 220	24
I22BL	1402	-	658 900 371 523 220	29
I22f	1202	-	658 900 371 512 220	27
I22m	1102	-	658 900 371 523 220	26
I22sf	1302	-	658 900 371 502 220	28
K11	1011	Ila	658 900 030 533 110	9
K11BL	1411	Ila	658 900 030 523 110	29
K12	1012	Ila	658 900 035 533 120	9
K15	1015	Ila	658 900 030 533 150	9
Magnetständer weiß / magnetic base white				
	9928	-	-	54
Magnetständer blau / magnetic base blue				
	9929	-	-	54
Musterkoffer (Dent.) / Sample Case (Dent.)				
	9980	Ila	-	55
Musterkoffer (Lab.) / Sample Case (Lab.)				
	9981	-	-	55
Musterkoffer MIX (Lab. + Dent.) / Sample Case MIX (Lab. + Dent.)				
	9982	-	-	55
L13	1009	Ila	658 900 303 533 130	9
L15	1008	Ila	658 900 303 533 150	24
L18	1007	-	658 900 303 533 180	24
L18f	1207	-	658 900 303 512 180	27
L18m	1107	-	658 900 303 523 180	26
L18sf	1307	-	658 900 303 502 180	28
L22	1001	-	658 900 303 533 220	24
L22f	1201	-	658 900 303 512 220	27
L22m	1101	-	658 900 303 523 220	26
L22sf	1301	-	658 900 303 502 220	28
L26D	7200	-	803 104 303 514 260	31
L26DC	7700	-	803 104 303 514 260	35
L26DCmf	7600	-	803 104 303 524 260	35
L26Dg	7000	-	803 104 303 534 260	30
L26Dmf	7100	-	803 104 303 524 260	31
L26DP	7900	-	803 104 303 512 260	34
L26DPmf	7800	-	803 104 303 522 260	34
L26Dxg	6900	-	803 104 303 544 260	30
LS15D	7208	-	803 900 303 514 150	31
LS15Dg	7008	-	803 900 303 534 150	30
LS15Dmf	7108	-	803 900 303 524 150	31
LS18BL	1407	-	658 900 303 523 180	29
LS18NK	1607	-	658 900 303 514 180	33
LS18SK	1707	-	658 900 303 504 180	33
LS18VK	1507	-	658 900 303 524 180	33
LS22BL	1401	-	658 900 303 523 220	29
LS22NK	1601	-	658 900 303 514 220	33
LS22SK	1701	-	658 900 303 504 220	33
LS22VK	1501	-	658 900 303 524 220	33

產品名稱	產品編號	醫療用品等級	ISO	頁數
Item	Item No.	Medical Device Class	ISO	Page
MIX25	9621	-	-	56
MIX5	9620	-	-	56
MIX75	9622	-	-	56
PC-100	8800	Ila	633 204 172 526 023	22
PC-100g	8700	Ila	633 204 172 536 023	22
PC-101	8801	Ila	633 204 030 526 033	22
PC-101g	8701	Ila	633 204 030 536 033	22
PC-102	8802	Ila	633 204 249 526 023	22
PC-102g	8702	Ila	633 204 249 536 023	22
PC-103	8803	Ila	633 204 141 526 023	22
PC-103g	8703	Ila	633 204 141 536 023	22
PC-111	8811	Ila	633 204 243 526 030	22
PC-111g	8711	Ila	633 204 243 536 030	22
PDL-10/2,5	9108	-	-	23
PDL-10/4	9103	-	-	23
PDL-35/2,5	9107	-	-	23
PDL-35/4	9102	-	-	23
PDL-45/2,5	9106	-	-	23
PDL-45/4	9101	-	-	23
PLUS200	9600	-	-	56
PLUS400	9601	-	-	56
PLUS600	9602	-	-	56
PR3-hard	9411	-	653 204 034 514 070	21
PR3-medium	9421	-	653 204 034 513 070	21
PR3-soft	9431	-	653 204 034 512 070	21
PR3-supersoft	9441	-	653 204 034 511 070	21
PRO3-hard	9412	Ila	653 204 034 514 070	21
PRO3-medium	9422	Ila	653 204 034 513 070	21
PRO3-soft	9432	Ila	653 204 034 512 070	21
PRO3-supersoft	9442	Ila	653 204 034 511 070	21
PROPASTE MC	9721	-	-	20
PROPASTE SC	9720	-	-	20
PROPASTE MF	9741	-	-	20
PROPASTE SF	9740	-	-	20
PROPASTE MM	9731	-	-	20
PROPASTE SM	9730	-	-	20
PS-50 KIT	9010	-	-	23
PRS3-hard	9413	Ila	653 900 034 514 070	21
PRS3-medium	9423	Ila	653 900 034 513 070	21
PRS3-soft	9433	Ila	653 900 034 512 070	21
PRS3-supersoft	9443	Ila	653 900 034 511 070	21
PS-20/7	9112	-	-	23
PS-60/40	9111	-	-	23
R12	1006	Ila	658 900 372 533 120	9
R17	1004	-	658 900 372 533 220	24
R17NK	1604	-	658 900 372 514 170	33
R17SK	1704	-	658 900 372 504 170	33
R17VK	1504	-	658 900 372 524 170	33
R17BL	1404	-	658 900 372 523 170	29
R17D	7204	-	803 900 372 514 170	31
R17DC	7704	-	803 900 372 514 170	35
R17DCmf	7604	-	803 900 372 524 170	35
R17Dg	7004	-	803 900 372 534 170	30
R17Dmf	7104	-	803 900 372 524 170	31
R17DP	7904	-	803 900 372 512 170	34
R17DPmf	7804	-	803 900 372 522 170	34
R17Dxg	6904	-	803 900 372 544 170	30
R17f	1204	-	658 900 372 512 170	27
R17m	1104	-	658 900 372 523 220	26
R17sf	1304	-	658 900 372 502 170	28
R22	1000	-	658 900 372 533 220	24
R22BL	1400	-	658 900 372 523 220	29
R22f	1200	-	658 900 372 512 220	27
R22f-WG	2900	-	658 900 372 513 220	36

ISO / 醫療用具分類

產品名稱	產品編號	醫療用品等級	ISO	頁數
Item	Item No.	Medical Device Class	ISO	Page
R22m	1100	-	658 900 372 523 220	26
R22m-WG	2800	-	658 900 372 523 220	36
R22NK	1600	-	658 900 372 514 220	33
R22sf	1300	-	658 900 372 502 220	28
R22SK	1700	-	658 900 372 504 220	33
R22VK	1500	-	658 900 372 524 220	33
RA 101	9070	Ila	-	50
RA 128	9072	Ila	-	51
RA 160	9076	Ila	-	50
RA 209	9075	Ila	-	51
RA 210	9071	Ila	-	51
RA 305	9077	Ila	-	50
RA 322	9078	Ila	-	50
RA 341	9073	Ila	-	51
RA 350	9074	Ila	-	50
RA 410	9080	Ila	-	52
RA 411	9081	Ila	-	52
RA 412	9082	Ila	-	52
RA 420	9083	Ila	-	51
RA 430	9079	Ila	-	52
S170	9655	-	-	56
S3D	7233	-	803 000 133 514 030	31
S3Dg	7033	-	803 000 133 534 030	30
S3Dmf	7133	-	803 000 133 524 030	31
S6	1016	-	658 900 133 533 060	24
S6BL	1416	-	658 900 133 523 060	29
S6f	1216	-	658 900 133 512 060	27
S6m	1116	-	658 900 133 523 060	26
S6NK	1616	-	658 900 133 514 060	33
S6sf	1316	-	658 900 133 502 060	28
S6SK	1716	-	658 900 133 504 060	33
S6VK	1516	-	658 900 133 524 060	33
SL20D	7201	-	803 104 303 514 200	31
SL20DC	7701	-	803 104 303 514 200	35
SL20DCmf	7601	-	803 104 303 524 200	35
SL20Dg	7001	-	803 104 303 534 200	30
SL20Dmf	7101	-	803 104 303 524 200	31
SL20DP	7901	-	803 104 303 512 200	34
SL20DPmf	7801	-	803 104 303 522 200	34
SW-R22f	9802	-	019 900 372 501 220	39
SW-R22m	9801	-	019 900 372 511 220	39
TOP25	9611	-	-	56
TOP5	9610	-	-	56
TOP75	9612	-	-	56
UT-H334K	8534	-	653 104 275 546 100	8
W1	1071	Ila	658 204 243 523 055	9
W11	1081	Ila	658 204 297 523 030	9
W11D	7281	Ila	803 204 297 514 030	11
W11DC	7781	Ila	803 204 297 514 030	13
W11DCmf	7681	Ila	803 204 297 524 030	13
W11Dg	7081	Ila	803 204 297 534 030	11
W11Dmf	7181	Ila	803 204 297 524 030	11
W16D	7286	Ila	803 204 243 514 040	11
W16DC	7786	Ila	803 204 243 514 040	13
W16DCmf	7686	Ila	803 204 243 524 040	13
W16Dg	7086	Ila	803 204 243 534 040	11
W16Dmf	7186	Ila	803 204 243 524 040	11
W17D	7287	Ila	803 204 030 514 060	11
W17DC	7787	Ila	803 204 030 514 060	13
W17DCmf	7687	Ila	803 204 030 524 060	13
W17Dg	7087	Ila	803 204 030 534 060	11
W17Dmf	7187	Ila	803 204 030 524 060	11
W18D	7288	Ila	803 204 304 514 100	11
W18DC	7788	Ila	803 204 304 514 100	13

產品名稱	產品編號	醫療用品等級	ISO	頁數
Item	Item No.	Medical Device Class	ISO	Page
W18DCmf	7688	Ila	803 204 304 524 100	13
W18Dg	7088	Ila	803 204 304 534 100	11
W18Dmf	7188	Ila	803 204 304 524 100	11
W2	1072	Ila	658 204 243 523 045	9
W21D	7292	Ila	803 204 244 514 030	11
W21Dg	7092	Ila	803 204 244 534 030	11
W21Dmf	7192	Ila	803 204 244 524 030	11
W2B	1092	Ila	658 204 243 523 050	9
W2BNK	1692	Ila	658 204 243 514 050	12
W2BSK	1792	Ila	658 204 243 504 050	12
W2BVK	1592	Ila	658 204 243 524 050	12
W2D	7272	Ila	803 204 243 514 040	11
W2Dg	7072	Ila	803 204 243 534 040	11
W2Dmf	7172	Ila	803 204 243 524 040	11
W4	1074	Ila	658 204 292 523 050	9
W5	1075	Ila	658 204 030 523 090	9
W6	1076	Ila	658 204 021 523 080	9
W7	1077	Ila	658 204 030 523 070	9
W7NK	1677	Ila	658 204 030 514 070	12
W7SK	1777	Ila	658 204 030 504 070	12
W7VK	1577	Ila	658 204 030 524 070	12
W8	1078	Ila	658 204 372 514 110	9
W8D	7278	Ila	803 204 372 514 110	11
W8Dg	7078	Ila	803 204 372 534 110	11
W8Dmf	7178	Ila	803 204 372 524 110	11
W9	1079	Ila	658 204 304 523 110	9
W9NK	1679	Ila	658 204 304 514 110	12
W9SK	1779	Ila	658 204 304 504 110	12
W9VK	1579	Ila	658 204 304 524 110	12
WP1	5071	Ila	653 204 243 522 055	10
WP11	5081	Ila	653 204 297 522 030	10
WP2	5072	Ila	653 204 243 522 045	10
WP2B	5092	Ila	653 204 243 522 050	10
WP4	5074	Ila	653 204 292 522 050	10
WP5	5075	Ila	653 204 030 522 090	10
WP6	5076	Ila	653 204 021 522 080	10
WP7	5077	Ila	653 204 030 522 070	10
WP8	5078	Ila	653 204 372 522 110	10
WP9	5079	Ila	653 204 304 522 110	10
WPH	9454	Ila	010 204 237 700 025	20
WPM	946	Ila	010 204 237 500 025	20
WPS	9474	Ila	010 204 237 300 025	20
WS1	9493	Ila	655 204 131 504 040	49
WSD1	9483	Ila	-	49
WSH	9453	Ila	010 204 131 700 040	20
WSM	9463	Ila	010 204 131 500 040	20
WSS	9473	Ila	010 204 131 300 040	20
WT1	9491	Ila	655 204 010 504 060	49
WTD1	9481	Ila	-	49
WTH	9451	Ila	010 204 010 700 060	20
WTM	9461	Ila	010 204 010 500 060	20
WTS	9471	Ila	010 204 010 300 060	20
WZ1	9492	Ila	655 204 010 504 040	49
WZD1	9482	Ila	-	49
WZH	9452	Ila	010 204 010 700 040	20
WZM	9462	Ila	010 204 010 500 040	20
WZS	9472	Ila	010 204 010 300 040	20





旋轉研磨與
拋光工具
Rotary Grinding
and Polishing
Instruments



鳴泰實業有限公司

電話：(02) 2995 9866

傳真：(02) 8512 1118

辦公接待中心

241 新北市三重區興德路123之1號10樓

數位教育訓練中心

241 新北市三重區興德路123之1號3樓

版本 / Edition 10/2011

CHIN MIN TAI ENTERPRISE CO., LTD.

Tel +886-2-29959866

Fax +886-2-85121118

Office Reception Center

10F., No.123-1, Xingde Rd., Sanchong
District, New Taipei City 241, Taiwan

Digital Training Center

3F., No.123-1, Xingde Rd., Sanchong
District, New Taipei City 241, Taiwan

錯誤印刷不承擔任何責任 / Not liable for misprints